



almanit sanitary fittings


EXCLUSIVE-----1-4	SUPRA-----5-8	PRESTIGE-----9-12
SMART.1-----13-18	ELEGANCE.1-----19-22	
ROYAL-----29-36	ELEGANCE.2-----23-28	
TRADITIONAL.1-----45-52	KOSTAR-----37-44	
TRADITIONAL.4-----59-64	TRADITIONAL.2-----53-58	
	TRADITIONAL.5-----65-70	
THERMOSTATIC-----71-74		
SHOWER FITTINGS-----75-80		
NOVELTIES-----81-94		

CONTENTS


pages




37-44



45-52



53-58



1-4



5-8



Our company...

is one of the leading and most successful German export houses for Sanitary fittings and other related products. Since 1980, we have been supplying our markets with a wide range of faucets, fittings and valves for bathroom, kitchen and other sanitary installations. Our products are partly supplied under our "ALMANIT" and "GERMANIT ARMATUREN" brand names.

Our programme...

Includes a broad range of models covering most market segments from basic to luxury, and from classical to modern design. Private, commercial, or institutional customers will find the products they need in our programme. The most popular product groups in our extensive range cover:

+Faucets and Fittings: we supply a wide range of water mixers for bathroom and kitchen in different finishes and designs, with compression or ceramic valving (example: one hole lavatory and bidet mixers, one lever mixers, concealed 3-hole mixers, ...etc.). We have different mixer models for both wall and concealed installations. Most of our faucets/mixers can be supplied with different models of handles which are fitted according to customer demands. Also to secure our customers an extended product range from a single source, we supply Shower Fittings including hand shower sets, adjustable shower heads, shower arms, etc.

+Water Taps and Valves: we supply a variety of bib cocks in different finishes and designs (example: taps with and without hose-union, taps with T-handle, taps with upper part for key, ...etc.). We supply



almanit sanitary fittings



also a wide range of Stopcocks, Ball valves, Gate valves, and Angle valves in different models and designs.

+Hoses and pipes: we supply a wide range of flexible hoses and tubes with different ends to adapt to any type of standard valves and fittings (example: brass strips hoses, PVC hoses, copper tubes, st. Steel wire screened hoses, aluminium wire screened hoses, ... etc.).

+Other Product Lines: Sanitary fittings are the core of our business. We supply more than 5.000 products in numerous models and options. Products shown in our catalogue represents only our fast moving items. For additional information about other products, please send us your detailed inquiry so that we can offer accordingly.

Our Markets...

We can supply our products world wide. Our main markets are in


parts of Europe, in the Far-and Middle East area and in some parts of Africa.

Our Service...

More than 30 years of experience provided our management with thorough knowledge of products and markets at manufacturers as well as end-users side, enabling us to satisfy our customers requirements with ultimate precision and assisting the manufacturers to do the same. Also as a family run company, we attach great importance to personal relationships to our customers. This helps us to meet individual customer wishes quickly and unbureaucratically.



One Lever Mixers



almanit sanitary fittings

Made in Germany



EXCLUSIVE SERIES

Art.680001.EXCLUSIVE

one lever washbasin mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.680041.EXCLUSIVE

one lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass ball-joint aerator, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.680042.EXCLUSIVE

one lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with extra push-button for diverting water to under shower, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).




almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

EXCLUSIV E

EXCLUSIV E



Art.680032.EXCLUSIVE

one lever sink mixer with 40mm ceramic cartridge, with movable high cast spout fitted with a brass aerator, with st. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art.680031.EXCLUSIVE

one lever sink mixer with 40mm ceramic cartridge, with movable cast spout fitted with a brass aerator, with st. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art.680021.EXCLUSIVE

one lever bath mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with built-in diverter, with 1/2" connection for hose.

EXCLUSIVE SERIES

Art. 680024.EXCLUSIVE



Art. 680025.EXCLUSIVE



Art. 680027.EXCLUSIVE



Art. 680029.EXCLUSIVE



Art.680024.EXCLUSIVE

one lever concealed shower mixer with 3-way-diverter, with shower arm and shower head.

Art.680025.EXCLUSIVE

one lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with wall rosette, with shower arm and shower head.

Art.680027.EXCLUSIVE

one lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with wall rosette, with shower arm and shower head.

Art.680029.EXCLUSIVE

one lever concealed shower mixer with 3-way-diverter, with shower arm and shower head, with cast spout with built-in diverter.





One Lever Mixers



almanit sanitary fittings

Made in Germany



SUPRA

SERIES

Art.680001.SUPRA

one lever washbasin mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with pop-up waste, with st. steel wire flexible connection hoses(35cm long x 1/2" nut.).



Art.680041.SUPRA

one lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass ball-joint aerator, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2"nut).



Art.680042.SUPRA

one lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with extra push-button for diverting water to under shower, with pop-up waste, with st. steel wire flexible connection hoses(35cm long x 1/2"nut).



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

S
U
P
R
A

S
U
P
R
A



Art.680031.SUPRA

one lever sink mixer with 40mm ceramic cartridge, with movable cast spout fitted with a brass aerator, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.680032.SUPRA

one lever sink mixer with 40mm ceramic cartridge, with movable high cast spout fitted with a brass aerator, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.680021.SUPRA

one lever bath mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with built-in diverter, with 1/2" connection for hose.



SUPRA

SERIES

Art. 680024.SUPRA



Art. 680025.SUPRA



Art. 680027.SUPRA



Art. 680029.SUPRA



Art.680024.SUPRA

one lever concealed shower mixer with 3-way-diverter, with shower arm and shower head.

Art.680025.SUPRA

one lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with wall rosette, with shower arm and shower head.

Art. 680027.SUPRA

one lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with wall rosette, with shower arm and shower head.

Art.680029.SUPRA

one lever concealed shower mixer with 3-way-diverter, with shower arm and shower head, with cast spout with built-in diverter.



One Lever Mixers

P
R
E
S
T
I
G
E
P
R
E
S
T
I
G
E
P
R
E
S
T
I
G
E



almanit sanitary fittings

Made in Germany

PRESTIGE SERIES

Art.680001.PRESTIGE

one lever washbasin mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with pop-up waste, with st. steel wire flexible connection hoses(35cm longx1/2" nut).



Art.680021.PRESTIGE

one lever bath mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with built-in diverter,with1/2" connection for hose.



Art.680041.PRESTIGE

One lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass ball-joint aerator, with pop-up waste, with St. steel wire flexible connection hoses(35cm longx1/2" nut).



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

P R E S T I G E



Art.680042.PRESTIGE

One lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with extra push-button for diverting water to under shower, with pop-up waste, with St. steel wire flexible connection hoses (35cm long x 1/2" nut).

P R E S T I G E



Art.680031. PRESTIGE

One lever sink mixer with 40mm ceramic cartridge, with movable cast spout fitted with a brass aerator, With St. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.680032.PRESTIGE

One lever sink mixer with 40mm ceramic cartridge, with movable high cast spout fitted with a brass aerator, with St. steel wire flexible connection hoses (35cm long x 1/2"nut).

PRESTIGE SERIES

Art.680024. PRESTIGE



Art.680025.PRESTIGE



Art.680027.PRESTIGE



Art.680029. PRESTIGE



Art.680024. PRESTIGE

One lever concealed shower mixer with 3-way-diverter, with shower arm and shower head.

Art.680025.PRESTIGE

One lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with Wall rosette, with shower arm and shower head.

Art.680029. PRESTIGE

One lever concealed shower mixer with 3-way-diverter, with shower arm and shower head, with cast spout with built-in diverter.

Art.680027.PRESTIGE

One lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with Wall rosette, with shower arm and shower head.



One Lever Mixers

S
M
A
R
T
.
1

S
M
A
R
T
.
1



almanit sanitary fittings

Made in Germany

SMART.1

SERIES

Art.680001.SMART.1

One lever washbasin mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with pop-up waste, with st. steel wire flexible connection hoses(35cm long x 1/2"nut).



Art 680021. SMART.1

One lever bath mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with built-in diverter, with 1/2" connection for hose.



Art.680011. SMART.1

One lever shower mixer with 40mm ceramic cartridge, with 1/2" hose connection.



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

S M A R T . 1

S M A R T . 1



Art. 680033. SMART.1

One lever kitchen mixer with 40mm ceramic cartridge, with movable spout with extractable flush shower, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art. 680041. SMART.1

One lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass ball-joint aerator, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art. 680042. SMART.1

One lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with extra push-button for diverting water to under shower, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

SMART.1

SERIES



Art.680031.SMART.1

One lever sink mixer with 40mm ceramic cartridge, with movable cast spout fitted with a brass aerator. With st. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art.680032.SMART.1

One lever sink mixer with 40mm ceramic cartridge, with movable high cast spout fitted with a brass aerator, with St. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art.680012. SMART.1

One lever shower mixer with 40mm ceramic cartridge, with 1/2" hose connection.



Art. 680051. SMART.1

One lever wall mounted Kitchen mixer with 40mm ceramic cartridge, with movable cast spout (200mm projection)



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

Art. 680024.SMART.1



Art. 680025.SMART.1



Art. 680027.SMART.1



Art. 680024.SMART.1

One lever concealed shower mixer with 3-way-diverter, with shower arm and shower head.

Art. 680025.SMART.1

One lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with Wall rosette, with shower arm and shower head.

Art. 680027.SMART.1

One lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with Wall rosette, with shower arm and shower head.

SMART.1

SERIES



S M A R T . 1

S

M


A

R

T

.

1



Art.680029.SMART.1

One lever concealed shower mixer with 3-way-diverter, with shower arm and shower head, with cast spout with built-in diverter.



One Lever Mixers

E
L
E
G
A
N
C
E
.
1

A high-quality chrome one-lever mixer faucet is shown against a blue background. The faucet has a sleek, modern design with a single lever handle. Water is splashing around the base of the faucet, creating a dynamic and clean aesthetic.

almanit sanitary fittings

Made in Germany

ELEGANCE.1
SERIES

Art.680001.ELEGANCE.1

one lever washbasin mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with pop-up waste, with connection hoses/pipes.



Art.680021.ELEGANCE.1

one lever bath mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with built-in diverter, with 1/2" connection for hose.

Art.680011.ELEGANCE.1

one lever shower mixer with 40mm ceramic cartridge, with 1/2" hose connection.



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

E L E G A N C E . 1

E
L
E
G
A
N
C
E
.1



Art. 680031. ELEGANCE.1



Art. 680032. ELEGANCE.1



Art. 680033. ELEGANCE.1



Art. 680051. ELEGANCE.1

Art.680031.ELEGANCE.1

one lever sink mixer with 40mm ceramic cartridge, with movable cast spout fitted with a brass aerator, with connection pipes/hoses.

Art.680033.ELEGANCE.1

one lever Kitchen mixer with 40mm ceramic cartridge, with movable spout with extractable flush shower, with connection pipes/hoses.

Art.680032.ELEGANCE.1

one lever sink mixer with 40mm ceramic cartridge, with movable high cast spout fitted with a brass aerator, with pipes/connection hoses.

Art.680051.ELEGANCE.1

one lever wall mounted Kitchen mixer with 40mm ceramic cartridge, with movable cast spout (200mm projection).

ELEGANCE.1
SERIES



Art.680012.ELEGANCE.1



AArt.680041.ELEGANCE.1

Art.680029.ELEGANCE.1

Art.680012.ELEGANCE.1

one lever shower mixer with 40mm ceramic cartridge, with 1/2" hose connection.

AArt.680041.ELEGANCE.1

one lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass ball-joint aerator, with pop-up waste, with connection pipes/hoses.

Art.680029.ELEGANCE.1

one lever concealed shower mixer with 3-way-diverter, with shower arm and shower head, with cast spout with built-in diverter.



One Lever Mixers

E
L
E
E
L
E
G
A
N
C
E
.
2



almanit sanitary fittings

Made in Germany

ELEGANCE.2 SERIES

Art.680001. ELEGANCE.2

One lever washbasin mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.680021. ELEGANCE. 2

One lever bath mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with built-in diverter, with 1/2" connection for hose.



Art 680011. ELEGANCE.2

One lever shower mixer with 40mm ceramic cartridge, with 1/2" hose connection.



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

ELEGANCE.2



Art.680033. ELEGANCE.2

One lever Kitchen mixer with 40mm ceramic cartridge, with movable spout with extractable flush shower, with St. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art. 680041. ELEGANCE.2

One lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass ball-joint aerator, with pop-up waste, with st. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art. 680042. ELEGANCE.2

One lever bidet mixer with 40mm ceramic cartridge, with cast spout fitted with a brass aerator, with extra push-button for diverting water to under shower, with pop-up waste, with st. steel wire flexible connection hoses(35cm long x 1/2" nut).

ELEGANCE.2 SERIES



Art. 680031. ELEGANCE.2

One lever sink mixer with 40mm ceramic cartridge, with movable cast spout fitted with a brass aerator, with St. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art. 680032. ELEGANCE.2

One lever sink mixer with 40mm ceramic cartridge, with movable high cast spout fitted with a brass aerator, with St. steel wire flexible connection hoses(35cm long x 1/2" nut).



Art. 680012. ELEGANCE.2

One lever shower mixer with 40mm ceramic cartridge, with 1/2" hose connection.



Art. 680051. ELEGANCE.2

One lever wall mounted Kitchen mixer with 40mm ceramic cartridge, with movable cast spout (200mm Projection)



almanit one lever mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

E
L
E
G
A
N
C
E
.
2

A large, faded, circular image of a shower mixer is positioned in the background, partially overlapping the vertical text. The image shows the mixer's handle and spout in a light, desaturated tone.

Art.680029 ELEGANCE.2

One lever concealed shower mixer with 3-way-diverter, with shower arm and shower head, with cast spout with built-in diverter.

ELEGANCE.2
SERIES



Art. 680024. ELEGANCE. 2

One lever concealed shower mixer with 3-way-diverter, with shower arm and shower head.

Art. 680025. ELEGANCE.2

One lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with Wall rosette, with shower arm and shower head.

Art. 680027 ELEGANCE.2

One lever concealed bath mixer with 4-way-diverter, with long cast spout fitted with a brass aerator with Wall rosette, with shower arm and shower head.



Two Handle Mixers



almanit sanitary fittings

Made in Germany

ROYAL SERIES

Art.61080. ROYAL

2-Handle bath mixer with ceramic cartridges (180°), with shower/bath lever diverter, 3/4" outlet, with cast spout fitted with a chrome plated brass aerator, with metal ROYAL-Handles fixed with screw on the cartridge.



Art.61085B. ROYAL

2-Handle bath mixer with ceramic cartridges (180°), luxury model, with shower/bath lever diverter, 3/4" outlet, with cast spout, with metal ROYAL-Handles fixed with screw on the cartridge, with hand shower rest (1/2' x 3/4"), with chrome plated flexible hose (150cm long), with chrome plated hand shower.

Art. 630170. ROYAL

2-Handle bath mixer with ceramic cartridges (180°), heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal ROYAL- Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

R O Y A L



R
O
Y
A
L



Art. 63012. ROYAL

2-Handle one hole washbasin mixer with ceramic cartridges (180°), with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses(35cm long x 1/2"), with metal ROYAL-Handles fixed with screw on the cartridge.

Art.63013. ROYAL

2-Handle one hole washbasin mixer (luxury model), with ceramic cartridges (180°), with cast spout with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses(35cm long x 1/2"), with metal ROYAL-Handles fixed with screw on the cartridge.

ROYAL SERIES

Art.63032. ROYAL

2-Handle one hole washbasin mixer with ceramic cartridges (180°), with movable high cast spout, with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal ROYAL-Handles fixed with screw on the cartridge.



Art.6117. ROYAL

2-Handle two hole washbasin mixer with ceramic cartridges (180°), with adjustable bridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with metal ROYAL-Handles fixed with screw on the cartridge.



Art. 63004. ROYAL

2-Handle concealed 3-hole washbasin mixer with ceramic cartridges (180°), with cast spout, with chrome plated brass pop-up waste (1.1/4"), with metal ROYAL-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

R O Y A L



Art.63033. ROYAL

2-Handle one hole washbasin mixer with ceramic cartridges (180°), with HU-Spout (150mm), with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal ROYAL-Handles fixed with screw on the cartridge.

Art.630101. ROYAL

2-Handle one hole mixer with ceramic cartridges (180°), with HU-Spout (150mm) fitted with a chrome plated brass aerator, with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal ROYAL-Handles fixed with screw on the cartridge.

ROYAL SERIES

Art. 61030HU. ROYAL

2-Handle wall mounted sink mixer with ceramic cartridges (180°), with HU-Spout (150mm), with metal ROYAL-Handles fixed with screw on the cartridge.



Art.63024. ROYAL

2-Handle concealed 3-hole bidet mixer with ceramic cartridges (180°), with under shower, with chrome plated brass pop-up waste (1.1/4"), with metal ROYAL-Handles fixed with screw on the cartridge.

Art. 624451. ROYAL


2-Handle one hole bidet mixer with ceramic cartridges (180°), with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4") , with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal ROYAL-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

R O Y A L



Art. 65060. ROYAL

One hole lavatory tap with ceramic cartridge (180°), with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal ROYAL-Handle fixed with screw on the cartridge.



Art. 630127. ROYAL

Wall mounted sink tap with ceramic cartridge (180°), with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal ROYAL-Handle fixed with a screw on the cartridge.



Art. 65065. ROYAL

One hole lavatory tap with ceramic cartridge (180°), with cast spout fitted with a chrome plated brass aerator, size: 1/2", with metal ROYAL-Handle fixed with screw on the cartridge.

ROYAL SERIES



Art. 698. ROYAL

Long shank bib cock of 15cm long projection, with chrome plated brass aerator, size: 1/2", with metal ROYAL-Handle fixed with screw on the cartridge, with steel wall rosette.



Art. 697. ROYAL

Bib cock of 10cm long projection, with chrome plated brass aerator, size: 1/2", with metal ROYAL-Handle fixed with screw on the cartridge, with steel wall rosette.



Art. 6116. ROYAL

Angle valve with 1/2" compression cartridge, highly polished body, size: 1/2"x1/2", with metal ROYAL-Handle fixed with a screw on the cartridge, with steel rosette.




Art. 6115. ROYAL

Angle valve with ceramic cartridge (90°), highly polished body, size: 1/2"x1/2", with metal ROYAL-Handle fixed with a screw on the cartridge, with steel rosette.



Two Handle Mixers



almanit sanitary fittings

Made in Germany

KOSTAR SERIES

Art. 61080. KOSTAR

2-Handle bath mixer with 1/2" compression cartridges, with shower/bath lever diverter, 3/4" outlet, with cast spout fitted with a chrome plated brass aerator, with metal KOSTAR-Handles fixed with screw on the cartridge.



Art. 61085B. KOSTAR

2-Handle bath mixer with 1/2" compression cartridges, luxury model, with shower/bath lever diverter, 3/4" outlet, with cast spout, with metal KOSTAR-Handles fixed with screw on the cartridge, with hand shower rest (1/2" x 3/4"), with chrome plated flexible hose (150cm long), with chrome plated hand shower.



Art. 630170. KOSTAR

2-Handle bath mixer with 1/2" compression cartridges, heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal KOSTAR-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

K O S T A R



Art. 63032. KOSTAR

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with movable high cast spout, with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.

A

R



Art.63012. KOSTAR

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.



Art.63013. KOSTAR

2-Handle one hole washbasin mixer (luxury model), with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.

KOSTAR SERIES

Art. 6117. KOSTAR

2-Handle two hole washbasin mixer with 1/2" compression cartridges, with adjustable bridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with metal KOSTAR-Handles fixed with screw on the cartridge.



Art. 63004. KOSTAR

2-Handle concealed 3-hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with metal KOSTAR-Handles fixed with screw on the cartridge.



Art.630171. KOSTAR


2-Handle bath mixer with 1/2" compression cartridges, heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal KOSTAR-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

K O S T A R



Art. 624451.KOSTAR

2-Handle one hole bidet mixer with 1/2" compression cartridges, with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.



Art. 63033. KOSTAR

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with HU-Spout (150mm), with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.

Art. 630101. KOSTAR

2-Handle one hole mixer with 1/2" compression cartridges, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.

KOSTAR SERIES

Art. 624452. KOSTAR

2-Handle one hole bidet mixer (luxury model) with 1/2" compression cartridges, with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal KOSTAR-Handles fixed with screw on the cartridge.



Art. 61030HU. KOSTAR

2-Handle wall mounted sink mixer with 1/2" compression cartridges, with HU-Spout (150mm), with metal KOSTAR-Handles fixed with screw on the cartridge.

Art. 63024. KOSTAR

2-Handle concealed 3-hole bidet mixer with 1/2" compression cartridges, with under shower, with chrome plated brass pop-up waste (1.1/4"), with metal KOSTAR-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

K O S T A R

K

O



Art. 65060. KOSTAR

One hole lavatory tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal KOSTAR-Handle fixed with screw on the cartridge.

T

A

R



Art. 630127. KOSTAR

Wall mounted sink tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size : 1/2", with metal KOSTAR-Handle fixed with a screw on the cartridge.

Art. 65065. KOSTAR

One hole lavatory tap with 1/2" compression cartridge, with cast spout fitted with a chrome plated brass aerator, size: 1/2", with metal KOSTAR-Handle fixed with screw on the cartridge.

KOSTAR SERIES



Art. 698. KOSTAR

Longshank bib cock of 15cm long projection, with chrome plated brass aerator, size: 1/2", with metal KOSTAR-Handle fixed with screw on the cartridge, with steel wall rosette.



Art. 697. KOSTAR

Bib cock of 10cm long projection, with chrome plated brass aerator, size: 1/2", with metal KOSTAR-Handle fixed with screw on the cartridge, with steel wall rosette.



Art. 6116. KOSTAR

Angle valve with 1/2" compression cartridge, highly polished body, size: 1/2" x 1/2", with metal KOSTAR-Handle fixed with a screw on the cartridge, with steel rosette.




Art. 6115. KOSTAR

Angle valve with ceramic cartridge (90°), highly polished body, size: 1/2" x 1/2", with metal KOSTAR-Handle fixed with a screw on the cartridge, with steel rosette.



Two Handle Mixers

TRADITIONAL 1




almanit sanitary fittings

Made in Germany

TRADITIONAL.1 SERIES

Art. 61080. Traditional. 1

2-Handle bath mixer with 1/2" compression cartridges, with shower/bath lever diverter, 3/4" outlet, with cast spout fitted with a chrome plated brass aerator, with metal three point crown handles fixed with screw on the cartridge.



Art. 630170. Traditional. 1

2-Handle bath mixer with 1/2" compression cartridges, heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal three point crown handles fixed with screw on the cartridge.



Art. 63012. Traditional. 1

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal three point crown handles fixed with screw on the cartridge.




almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

T R A D I T I O N A L . 1

T
R
A
D
I
T
I
O
N
A
L
.1



Art.63032. Traditional. 1

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with movable high cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal three point crown handles fixed with screw on the cartridge.

TRADITIONAL.1 SERIES

Art. 63004. Traditional. 1

2-Handle concealed 3-hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with metal three point crown handles fixed with screw on the cartridge.



Art. 6117. Traditional. 1

2-Handle two hole washbasin mixer with 1/2" compression cartridges, with adjustable bridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with metal three point crown handles fixed with screw on the cartridge.



Art. 630101. Traditional.1

2-Handle one hole mixer with 1/2" compression cartridges, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal three point crown handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2



Art.63033. Traditional. 1

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with HU-Spout (150mm), with chrome plated brass pop-up waste (1.1/4"), with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal three point crown handles fixed with screw on the cartridge.



Art. 624451. Traditional. 1

2-handle one hole bidet mixer with 1/2" compression cartridges, with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal three point crown handles fixed with screw on the cartridge.

Art. 63024. Traditional.1

2-Handle concealed 3-hole bidet mixer with 1/2" compression cartridges, with under shower, with chrome plated brass pop-up waste (1.1/4"), with metal three point crown handles fixed with screw on the cartridge.

TRADITIONAL.1
SERIES


TRADITIONAL.1

TRADITIONAL.1



Art. 65060. Traditional.1

One hole lavatory tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal three point crown handle fixed with screw on the cartridge.



Art. 61030HU. Traditional.1

2-Handle wall mounted sink mixer with 1/2" compression cartridges, with HU-Spout (150mm), with metal three point crown handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

TRADITIONAL.1



Art. 630127. Traditional.1

Wall mounted sink tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal three point crown handle fixed with a screw on the cartridge.



Art. 65065. Traditional. 1

One hole lavatory tap with 1/2" compression cartridge, with cast spout fitted with a chrome plated brass aerator, size: 1/2", with metal three point crown handle fixed with screw on the cartridge.



Art. 698. Traditional.1

Long shank bib cock of 1.5cm long projection, with chrome plated brass aerator, size: 1/2", with metal three point crown handle fixed with screw on the cartridge, with steel wall rosette.

TRADITIONAL.1 SERIES

Art.697.Traditional.1

Bib cock of 10cm long projection, with chrome plated brass aerator, size: 1/2", with metal three point crown handle fixed with screw on the cartridge, with steel wall rosette.



Art.6116. Traditional.1

Angle valve with compression cartridge, highly polished body, size: 1/2" x 1/2", with metal three point crown handle fixed with a screw on the cartridge, with steel rosette.




Art. 6115. Traditional.1

Angle valve with ceramic cartridge (90°), highly polished body, size: 1/2" x 1/2", with metal three point crown handle fixed with a screw on the cartridge, with steel rosette.



Two Handle Mixers

T
R
A
D
I
T
I
O
N
A
L
.
2

A high-quality, polished chrome two-handle mixer faucet is shown in a three-quarter view. The faucet has a classic, elegant design with a curved spout and two distinct handles. The background is a solid, vibrant red, which makes the metallic surface of the faucet stand out. The word "TRADITIONAL.2" is printed vertically in white, bold, sans-serif capital letters along the left side of the faucet's base.

almanit sanitary fittings

Made in Germany

TRADITIONAL.2 SERIES

Art.61080. Traditional.2

2-Handle bath mixer with 1/2" compression cartridges, with shower/bath lever diverter, 3/4" outlet, with cast spout fitted with a chrome plated brass aerator, with metal TDL-Handles fixed with screw on the cartridge.



Art. 630170. Traditional. 2

2-Handle bath mixer with 1/2" compression cartridges, heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal TDL-Handles fixed with screw on the cartridge.



Art.61085B. Traditional.2

2-Handle bath mixer with 1/2" compression cartridges, with shower/bath lever diverter, 3/4" outlet, with cast spout, with metal TDL-Handles fixed with screw on the cartridge, with hand shower rest (1 1/2" x 3/4"), with chrome plated flexible hose (150cm long), with chrome plated hand shower.



almanit two handle mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2



Art.6117. Traditional.2

2-Handle two hole washbasin mixer with 1/2" compression cartridges, with adjustable bridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with metal TDL-Handles fixed with screw on the cartridge.



Art.63032. Traditional.2

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with movable high cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal TDL-Handles fixed with screw on the cartridge.

T
R
A
D
I
T
I
O
N
A
L
.
2



Art.63004. Traditional.2

2-Handle concealed 3-hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with metal TDL-Handles fixed with screw on the cartridge.



Art.63012. Traditional.2

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal TDL-Handles fixed with screw on the cartridge.

TRADITIONAL.2 SERIES



Art.630101. Traditional.2

2-Handle one hole mixer with 1/2" compression cartridges, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal TDL-Handles fixed with screw on the cartridge.



Art.63033.Traditional.2

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with HU-Spout (150mm), with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal TDL-Handles fixed with screw on the cartridge.



Art.624451.Traditional.2

2-Handle one hole bidet mixer with 1/2" compression cartridges, with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal TDL-Handles fixed with screw on the cartridge.



Art. 63024. Traditional.2

2-Handle concealed 3-hole bidet mixer with 1/2" compression cartridges, with under shower, with chrome plated brass pop-up waste (1.1/4"), with metal TDL-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2



Art.61030HU.Traditional.2

2-Handle wall mounted sink mixer with 1/2" compression cartridges, with HU-Spout (150mm), with metal TDL-Handles fixed with screw on the cartridge.



Art.65060. Traditional.2

One hole lavatory tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal TDL-Handle fixed with screw on the cartridge.



Art.630127.Traditional.2

Wall mounted sink tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal TDL-Handle fixed with a screw on the cartridge.



Art.65065.Traditional.2

One hole lavatory tap with 1/2" compression cartridge, with cast spout fitted with a chrome plated brass aerator, size: 1/2", with metal TDL-Handle fixed with screw on the cartridge.

T
R
A
D
I
T
I
O
N
A
L
.
2

TRADITIONAL.2 SERIES



Art.698.Traditional.2

Long shank bib cock of 15cm long projection, with chrome plated brass aerator, size: 1/2", with metal TDL-Handle fixed with screw on the cartridge, with steel wall rosette.



Art.697.Traditional.2

Bib cock of 10cm long projection, with chrome plated brass aerator, size: 1/2", with metal TDL-Handle fixed with screw on the cartridge, with steel wall rosette.



Art.6116.Traditional.2

Angle valve with compression cartridge, highly polished body, size: 1/2" x 1/2", with metal TDL-Handle fixed with a screw on the cartridge, with steel rosette.




Art. 6115.Traditional.2

Angle valve with ceramic cartridge (90°), highly polished body, size: 1/2" x 1/2", with metal TDL-Handle fixed with a screw on the cartridge, with steel rosette.



Two Handle Mixers

TRADITIONAL.4



almanit sanitary fittings

Made in Germany

TRADITIONAL.4 SERIES

Art. 61080. Traditional.4

2-Handle bath mixer 1/2" compression cartridges, with shower/bath lever diverter, 3/4" outlet, with cast spout fitted with a chrome plated brass aerator, with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.630170.Traditional.4

2-Handle bath mixer with 1/2" compression cartridges, heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.61085B. Traditional.4

2-Handle bath mixer (luxury model) with 1/2" compression cartridges, with shower/bath lever diverter, 3/4" outlet, with heavy cast spout, with metal Star-Handles with rosettes fixed with screw on the cartridge, with hand shower rest (1/2" x 3/4"), with chrome plated flexible hose (150cm long), with chrome plated hand shower.




almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

TRADITIONAL.4

TRADITIONAL



Art.63012. Traditional.4

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Star-Handles with rosettes fixed with screw on the cartridge.

TRADITIONAL



Art.63013. Traditional.4

2-Handle one hole washbasin mixer (luxury model) with 1/2" compression cartridges, with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.63032. Traditional.4

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with movable high cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Star-Handles with rosettes fixed with screw on the cartridge.

TRADITIONAL.4 SERIES



Art.6117. Traditional.4

2-Handle two hole washbasin mixer with 1/2" compression cartridges, with adjustable bridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.630101. Traditional.4

2-Handle one hole mixer with 1/2" compression cartridges, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.63033. Traditional.4

2-Handle one hole washbasin mixer with 1/2" compression cartridges, with HU-Spout (150mm), with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.624451. Traditional.4

2-Handle one hole bidet mixer with 1/2" compression cartridges, with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Star-Handles with rosettes fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

TRADITIONAL.4



Art.61030HU.Traditional.4

2-Handle wall mounted sink mixer with 1/2" compression cartridges, with HU-Spout (150mm), with metal Star-Handles with rosettes fixed with screw on the cartridge.



Art.65065.Traditional.4

One hole lavatory tap with 1/2" compression cartridge, with cast spout fitted with a chrome plated brass aerator, size: 1/2", with metal Star-Handle with rosette fixed with screw on the cartridge.



Art.65060.Traditional.4

One hole lavatory tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal Star-Handle with rosette fixed with screw on the cartridge.



Art.630127.Traditional.4

Wall mounted sink tap with 1/2" compression cartridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal Star-Handle with rosette fixed with a screw on the cartridge.

TRADITIONAL.4 SERIES



Art.698. Traditional.4

Long shank bib cock of 15cm long projection, with chrome-plated brass aerator, size: 1/2", with metal Star-Handle with rosette fixed with screw on the cartridge, with steel wall rosette.



Art.697. Traditional.4

Bib cock of 10cm long projection, with chrome plated brass aerator, size: 1/2", with metal Star-Handle with rosette fixed with screw on the cartridge, with steel wall rosette.



Art.6116. Traditional.4

Angle valve with compression cartridge, highly polished body, size: 1/2" x 1/2", with metal Star-Handle with rosette fixed with a screw on the cartridge, with steel rosette.



Art.6115. Traditional.4

Angle valve with ceramic cartridge (90°), highly polished body, size: 1/2" x 1/2", with metal Star-Handle with rosette fixed with a screw on the cartridge, with steel rosette.



Two Handle Mixers

TRADITIONAL . 5

A high-quality, polished chrome two-handle mixer faucet is shown against a light green background. The faucet has a central spout and two side handles with a ribbed texture. The text 'TRADITIONAL . 5' is printed vertically on the left side of the faucet and horizontally across the top of the spout area.

almanit sanitary fittings

Made in Germany

TRADITIONAL.5 SERIES

Art.61080.Traditional.5

2-Handle bath mixer with 1/2" ceramic cartridges (180°), with shower/bath lever diverter, 3/4" outlet, with cast spout fitted with a chrome plated brass aerator, with metal Florida-Handles fixed with screw on the cartridge,



Art.630170. Traditional.5

2-Handle bath mixer with 1/2" ceramic cartridges(180°), heavy jet model, with cast spout fitted with a chrome plated brass aerator and with a built-in diverter, with 1/2" hose connection, with metal Florida-Handles fixed with screw on the cartridge.



Art.61085B.Traditional.5

2-Handle bath mixer with 1/2" ceramic cartridges (180°), with shower/bath lever diverter, 3/4" outlet, with cast spout, with metal Florida-Handles fixed with screw on the cartridge, with hand shower rest (1/2" x 3/4"), with chrome plated flexible hose(150cm long), with chrome plated hand shower.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

T R A D I T I O N A L . 5



Art.63032.Traditional.5

2-Handle one hole washbasin mixer with ceramic cartridges (180°), with movable high cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Florida-Handles fixed with screw on the cartridge.



Art. 63012. Traditional.5

2-Handle one hole washbasin mixer with ceramic cartridges (180°), with cast spout, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Florida-Handles fixed with screw on the cartridge.



Art.6117. Traditional.5

2-Handle two hole washbasin mixer with ceramic cartridges (180°), with adjustable bridge, with HU-Spout (150mm) fitted with a chrome plated brass aerator, with metal Florida-Handles fixed with screw on the cartridge.

TRADITIONAL.5 SERIES

Art.630101.Traditional.5

2-Handle one hole mixer with ceramic cartridges (180°), with HU-Spout (150mm) fitted with a chrome plated brass aerator, with St. steel wire flexible connection hoses (35cm long x 1/2"), with metal Florida-Handles fixed with screw on the cartridge.



Art.63033. Traditional.5

2-Handle one hole washbasin mixer with ceramic cartridges (180°), with HU-Spout (150mm), with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Florida-Handles fixed with screw on the cartridge.



Art.624451. Traditional.5

2-Handle one hole bidet mixer with ceramic cartridges (180°), with cast spout fitted with a ball-joint aerator, with chrome plated brass pop-up waste (1.1/4"), with st. steel wire flexible connection hoses (35cm long x 1/2"), with metal Florida-Handles fixed with screw on the cartridge.



almanit two handle mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

T R A D I T I O N A L . 5



Art.630127.Traditional.5

Wall mounted sink tap with ceramic cartridge (180°), with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal Florida-Handle fixed with a screw on the cartridge.



Art. 65060.Traditional. 5

One hole lavatory tap with ceramic cartridge (180°), with HU-Spout (150mm) fitted with a chrome plated brass aerator, size: 1/2", with metal Florida-Handle fixed with screw on the cartridge.



Art.61030HU.Traditional.5

2-Handle wall mounted sink mixer with ceramic cartridges (180°), with HU-Spout (150mm), with metal Florida-Handles fixed with screw on the cartridge.



Art.65065.Traditional.5

One hole lavatory tap with ceramic cartridge (180°), with cast spout fitted with a chrome plated brass aerator, size: 1/2", with metal Florida-Handle fixed with screw on the cartridge.

TRADITIONAL.5 SERIES



Art.698.Traditional.5

Long shank bib cock with ceramic cartridge (90°), of 15cm long projection, with chrome plated brass aerator, size: 1/2", with metal Florida-Handle fixed with screw on the cartridge, with steel wall rosette.



Art.697.Traditional.5

Bib cock with ceramic cartridge (90°), of 10cm long projection, with chrome plated brass aerator, size: 1/2", with metal Florida-Handle fixed with screw on the cartridge, with steel wall rosette.



Art.6116.Traditional.5

Angle valve with compression cartridge (1/2"), highly polished body, size: 1/2" x 1/2", with metal Florida-Handle fixed with a screw on the cartridge, with steel wall rosette.



Art.6115.Traditional.5

Angle valve with ceramic cartridge (90°), highly polished body, size: 1/2" x 1/2", with metal Florida-Handle fixed with a screw on the cartridge, with steel wall rosette.



Special Mixers

T
H
E
R
M
O
S
T
A
T
I
C

T
H
E
R
M
O
S
T
A
T
I
C

A detailed illustration of a chrome thermostatic faucet. The faucet has a curved, gooseneck-style spout that arches over. The handle is a cross-shaped lever with a red indicator dot on the right side. The faucet is set against a brown background with a circular ripple effect at its base.


almanit sanitary fittings

Made in Germany

THERMOSTATIC SERIES



Art.670012. THERMOSTATIC



Art. 670022. THERMOSTATIC

Wall mounted bath mixer with thermostat cartridge, with cast spout with built-in diverter with 1/2" flexible hose connection.

Art.670012. THERMOSTATIC

Wall mounted shower mixer with thermostat cartridge, with 1/2" flexible hose connection.




almanit special mixers

Manufactured under strict german standards of quality control according to DIN 52218 and EN ISO 3822-2

THERMOSTATIC

THERMOSTATIC




Art.670035. THERMOSTATIC

Art.670035. THERMOSTATIC

One hole mixer with thermostat cartridge, with movable high cast spout fitted with a brass aerator.

THERMOSTATIC SERIES



Art.670023. THERMOSTATIC



Art.670023. THERMOSTATIC

Wall mounted bath mixer with thermostat cartridge, with movable cast spout with built-in diverter with 1/2" flexible hose connection.

Art.670030. THERMOSTATIC

Wall mounted bath/sink mixer with thermostat cartridge, with movable cast spout.



Shower fittings

S
H
O
W
E
R
F
I
T
T
I
N
G
S

S
H
O
W
E
R
F
I
T
T
I
N
G
S



almanit sanitary fittings

Made in Germany

SHOWER FITTINGS SERIES

Art. 6655 (Attachment B)

chrome plated DELUX shower set consisting of:

- + Hand shower in Luxury-look, adjustable 2-Spray, with anti-lime scale function.
- + Flexible Hose of 14mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 150cm long, with washers.
- + chrome plated wall bracket (2-way), with screw set.



Art.6660

chrome plated EXCLUSIVE Hand Shower Set consisting of:

- + Hand shower in Luxury-look, adjustable 3-Spray, with anti-lime scale function.
- + Sliding bar in chrome plated brass, of 24mm diam., 60 cm long, with conical slide, with st. steel screw set with plugs, with soap holder.
- + Flexible Hose of 14mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 150cm long, with washers.



Art.6670

chrome plated SUPREME Hand Shower Set consisting of:


- + Hand shower, heavy model, adjustable 3-Spray, with anti-lime scale function.
- + Sliding bar in chrome plated brass, of 24mm diam., 60 cm long, with conical slide, with st. steel screw set with plugs, with soap holder.
- + AGRAF Flexible Hose of 16mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 150cm long, with washers.



almanit shower Fittings

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

SHOWER FITTINGS



Art. 6904



Art. 5033



Art. 5035



Art. 6661



Art. 6671



Art. 6656

Art.200/81387 (Attachment A)

chrome plated brass stand pipe, with one bordered end fitted with a hexagonal nut (3/4"), other end with 1/2" threading, with wall clip, with washer - Art.200 + st. steel shower rose of 90mm diam. with 1/2" threading - Art.81387

Art.6661

chrome/Acrylic EXCLUSIVE Hand shower in Luxury-look, adjustable 3-Spray, with anti-lime scale function.

Art.6671

chrome plated SUPREME Hand shower, heavy model, adjustable 3-Spray, with anti-lime scale function.

Art.6656

chrome plated DELUX Hand shower in Luxury-look, adjustable 2-Spray, with anti-lime scale function.

Art.6904

chrome plated wall bracket (2-way), with screw set.

Art.5033

chrome plated shower arm with adjustable shower head, 4-Jet; luxury model, with 1/2" connection, for concealed mixers.

Art.5035

chrome plated adjustable Shower Head, 4-Jet, heavy model, with 1/2" connection.


SHOWER FITTINGS SERIES



Art.8138C



Art.8138WC



Art.8138AG

Art.8138AG

SUPREME Flexible Hose of 16mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", with washers, available in the lengths: 120, 150 and 180cm.

Art.8138C

chrome plated brass flexible Hose of 14mm diam., with brass nipple, with one end fitted with a conical nut, other end fitted with a hexagonal nut 1/2"x1/2", with washers, available in the lengths: 120, 150, 180 and 200cm.

Art.8138WC

chrome plated brass Bidet flexible Hose of 14mm diam., with brass nipple, with one end fitted with a chrome plated brass nozzle with ring, other end fitted with a hexagonal nut (1/2"), with washer, with chrome plated wall hook with screw set, available in the lengths: 90, 100 and 120cm.




almanit shower Fittings

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

SHOWER FITTINGS

SHOWER FITTINGS



Art.38802/8138C120



Art.38806/8138C120

Art.38802/8138C120

chrome plated SELECT Shattaf Set consisting of:

- + c. p. brass flush shower with plain body, luxury model, with 1/2" connection.
- + Flexible Hose of 14mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 120cm long, with washers.
- + chrome plated wall bracket with screw set.


Art.38806/8138C120

chrome plated SELECT Shattaf Set consisting of:


- + c. p. brass flush shower with graved body, luxury model, with 1/2" connection.
- + Flexible Hose of 14mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 120cm long, with washers.
- + chrome plated wall bracket with screw set.

SHOWER FITTINGS SERIES

Art.388AW/8138C120



Art.388AC/8138C120



Art.388AC/8138C120

chrome plated ALMANIT Shattaf Set consisting of:

- + c. p. plastic flush shower with brass inside tube, with 1/2" connection.
- + Flexible Hose of 14mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 120cm long, with washers.
- + chrome plated wall bracket with screw set.

Art.388AW/8138C120

white ALMANIT Shattaf Set consisting of:

- + white plastic flush shower with brass inside tube, with 1/2" connection.
- + Flexible Hose of 14mm diam., with one end fitted with a conical nut (graved model), other end fitted with a hexagonal nut, 1/2"x1/2", 120cm long, with washers.
- + white wall bracket with screw set.



Novelties

N
O
V
E
L
T
I
E
S

N
O
V
E
L
T
I
E
S




almanit sanitary fittings

Made in Germany


DRAIN COVERS SERIES



Art. 7000 A



Art. 7000 B



Art. 7001 A



Art. 7001 B

Art. 7000 A

Stainless steel drain waste cover (strainer), made of AISI 304 material, highly polished, each piece consisting of 3 parts: frame, grid and lid. Size: 200x200mm Outlet: 115mm diam. Weight: abt. 950gm.

Art. 7000 B

Stainless steel drain waste cover (strainer), made of AISI 304 material, highly polished, each piece consisting of 3 parts: frame, seal rubber and a lid fixed with st. steel screws on the frame. Size: 200x200mm Outlet: 115mm diam. Weight: abt. 900gm

Art. 7001 A

Stainless steel drain waste cover (strainer), made of AISI 304 material, highly polished, each piece consisting of 3 parts: frame, grid and lid. Size: 150x150mm Outlet: 115mm diam. Weight: abt. 635gm.

Art. 7001 B

Stainless steel drain waste cover (strainer), made of AISI 304 material, highly polished, each piece consisting of 3 parts: frame, seal rubber and a lid fixed with st. steel screws on the frame. Size: 150x150mm Outlet: 115mm diam. Weight: abt. 620gm.



Flap Trap




NEW PATENT


Art.7050 (Drain Flap Trap)

- *Anti-Insect: prevents cockroach/insects from entering through the drainage pipe. It makes it also difficult for rats and other small animals to enter the premises.
- *Anti-Odder: decreases the bad smell coming from the drainage pipes.
- *Anti-Backflow: helps to minimize/prevent backwater if / when pipes are blocked.
- *possible to install on existing and/or new pipe lines.
- *can be dismantled or replaced at any time in case of need.
- *easy to clean.
- *designed so that it opens at minimum water flow.
- *size: made to fit drainage pipes of 4" diameter.


Brass Traps SERIES



Art. 7124



Art. 7128



Art. 7125



Art. 71251

Art. 7124

chrome plated brass Bottle trap, highly polished, with 120mm inlet tube, with 200mm outlet tube, with wall flange, available in the sizes: 1.1/4" and 1.1/2"

Art. 7125

chrome plated brass P-Trap, highly polished, with 120mm inlet tube, with 200mm outlet tube, with wall flange, size: 1.1/4".

Art. 7128

chrome plated brass Bidet Bottle trap, highly polished, with 120mm inlet tube, with 200mm outlet tube, with wall flange, available in the sizes: 1.1/4".

Art. 71251

chrome plated brass Bidet P-Trap, highly polished, with 120mm inlet tube, with 200mm outlet tube, with wall flange, size: 1.1/4".



Bath Wastes

BATH WASTES


BATH WASTES



Art.70101



Art.70100p



Art.71341p



Art.71341



Art.70101p

Art.70101

Automatic brass Bath waste and overflow, with flexible copper connection pipe, with brass pop-up waste, size: 1.1/2".

Art.70100p

Automatic plastic Bath waste and overflow, heavy model, with hard plastic connection pipe, with plastic pop-up waste, size: 1.1/2".

Art.71341p

Bath waste and overflow with plastic overflow and plastic pop-up waste, with plastic connection pipe, size: 1.1/2".

Art.71341

Bath waste and over flow with brass overflow and brass pop-up waste, with plastic connection pipe, size: 1.1/2".

Art.70101p

Automatic plastic Bath waste and overflow, with flexible plastic connection pipe, with plastic pop-up waste, size: 1.1/2".

Brass Fittings SERIES



Art.1513

chrome plated brass bib cock prolongation, highly polished, made of heat treated annealed brass, manufactured according to DIN 3523, Male x Female threading, available in the sizes:

3/8"x3/8" (in the lengths: 10 to 100m)

1/2"x1/2" (in the lengths: 10 to 100m)

3/4"x3/4" (in the lengths: 10 to 100m)

1" x 1" (in the lengths: 10 to 100m)



Art.1542

chrome plated brass round reduction piece, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Male x Female threading, available in the sizes:

3/8"Mx1/2"F 3/8"Mx3/4"F 1/2"Mx3/4"F

3/4"Mx1/2"F 1/2"Mx1"F 3/4"Mx1"F



Art.1523

chrome plated brass double nipple with hexagonal nut body, made of heat treated annealed brass, manufactured according to DIN 2999, Male x Male threading, with 2 chrome plated brass squeeze nuts, available in the sizes:

3/8"x3/8"x10mm diam. 1/2"x1/2"x10mm diam.

1/2"x1/2"x12mm diam.



Art.1622

chrome plated brass T-piece, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Female threading, available in the sizes: 3/8", 1/2", 3/4", and 1".



Art.1522

chrome plated brass double nipple with hexagonal nut body, made of heat treated annealed brass, manufactured according to DIN 2999, Male x Male threading, available in the sizes: 3/8", 1/2", 3/4" and 1".



Art.1612

chrome plated brass Elbow, 90°, highly polished, made of heat treated annealed brass, manufactured according to DIN 259, Female threading, available in the sizes: 3/8", 1/2", 3/4", and 1".



Art.1525

chrome plated brass reducing nipple with hexagonal nut body, made of heat treated annealed brass, manufactured according to DIN 2999, Male x Male threading, with chrome plated brass squeeze nut, available in the sizes:

1/2"x3/8"x10mm diam. 1/2"x3/8"x12mm diam.



Art.6811

chrome plated brass squeeze nut with brass ring, brass washer and rubber washer, available in the sizes:


3/8"x10mm diam. 1/2"x10mm diam. 1/2"x12mm diam.



Flush Valves

FLUSH VALVES

FLUSH



Art.64011

Art.64012

Art.64015

Art.64011

WC-Flush valve, manufactured according to DIN 3265 and DIN 4109, top push button operated, mechanically released, without water hammer, with a strong flow at low pressure, easy to press even at high pressure. Flow Pressure range: 1 to 6 bar, size: 1".

Art.64012

WC-Flush valve, manufactured according to DIN 3265 and DIN 4109, heavy model with smart and functional designee, top push button operated, quiet and economical, easy to fit, insensitive to dirt due to self-closing jet-bore. Flow Pressure range: 1,2 to 5 bar, available sizes: 3/4" and 1".

Art.64015

Urinal-Flush valve with connection pipe, manufactured according to DIN 3265 and DIN 4109, smart and functional designee, top push button operated, quiet and economical, easy to fit, insensitive to dirt due to self-closing jet-bore. Flow Pressure range: 1 to 4 bar, available sizes: 1/2".

Safety & Check Valves SERIES



Art. 69010




Art. 69011



Art. 69015



Art. 69017



Art. 67011

Nickel plated brass automatic air-vent with brass plug, heavy model, Max. Pressure: 10 bar, Max. Temp.: 110°C, size: 1/2".

Art. 69010

pressed brass check valve with fibre cap gasket, for sanitary, hydro and heating applications, Temp. Range: 0 to 80°C, Nominal Pressure: max. 12 bar, female threading, available sizes: 1/2", 3/4", 1", 1.1/4", 1.1/2", 2", 2.1/2", 3", 4".

Art. 69015

pressed brass check valve, with st. steel spring, suitable for sanitary and heating applications, for Vertical and Horizontal installations, Temp. Range: 0 to 80°C, Nominal Pressure: max. 12 bar, female threading, available sizes: 1/2", 3/4", 1", 1.1/4", 1.1/2", 2", 2.1/2", 3", 4".

Art. 69011

pressed brass check valve with oblique seat, with st. steel sieve, for sanitary, hydro and heating applications, Temp. Range: 0 to 100°C, Nominal Pressure: max. 16 bar, female threading, available sizes: 3/8", 1/2", 3/4", 1", 1.1/4", 1.1/2", 2".


Art. 69017

pressed brass foot valve, with st. steel spring and filter mesh, suitable for suction left of water and oil, Temp. Range: 0 to 80°C, Nominal Pressure: max. 10 bar, female threading, available sizes: 1/2", 3/4", 1", 1.1/4", 1.1/2", 2", 2.1/2", 3", 4".



almanit valves and taps

PN40 Ball Valves





almanit export gmbh

Sanitary Fittings Made in Germany




PN40 Ball Valves



	A	B	C	D	E	F
1/2"	84,50	66	15	36,50	115,5	59,50
3/4"	110	74	20	53	134	67,5
1"	110	82,5	25	47	140	79
1.1/4"	140	101,50	32	60	188	96
1.1/2"	140	112	40	65,5	192,5	105
2"	170	139,5	50	79	222,5	126

Art.9640
 n.p. brass ball valve, full bore, lever type, FxF threading, PN40, -15°C to +120°C




	A	B	C	D	E	F
1/2"	51,5	54,5	15	38,5		59,5
3/4"	63	66,5	20	47		67,5
1"	63	75	25	51		79

Art.9641
 same as above but with Butterfly aluminium handle.





PN40 Ball Valves



	A	B	C	D	E	F	G
1/2"	84,50	69,50	13,80	38	51,5	74,5	58,5
3/4"	96,5	81,5	18,5	45	62	85,5	66
1"	111,5	93	23	48	62	103,5	80

Art.9642
 n.p. brass ball valve, full bore, MxF threading with union, PN40, -15°C to +120°C.




	A	B	C	D	E	F	G
1/2"	51,5	54,5	15	38,5	64,1	68	38,3
3/4"	63	66,5	20	47	73,8	76	42,3
1"	63	75	25	51	79	87	48

Art.9644
 n.p. brass ball valve, full bore, MxF threading, PN40, -15°C to +120°C.




PN40 Ball Valves



	A	B	C	D	E	F	G
1/2"	84,50	66	15	36,50	115,5	68	38,3
3/4"	110	74	20	43,5	134	76	42,3
1"	110	82,5	25	47	140	87	48
1.1/4"	140	101,50	32	60	188	106	58
1.1/2"	140	112	40	65,5	192,5	114	61,5
2"	170	139,5	50	79	222,5	136,5	73,5

Art.9643
 n.p. brass ball valve, full bore, lever type, MxF threading, PN40, -15°C to +120°C



	A	B	C	D	E	F	G
1/2"	87	53	15	37,5	51,5	91	61,5
3/4"	96,5	62,5	20	43,5	62	99	66,5
1"	109,5	70	25	46,5	62	118	78,5

Art.9646
 n.p. brass angle ball valve, MxF threading with union, PN40, -15°C to +120°C



Cistern Fittings



Art.9020



Art.9207



Art.9209



Art.9100



Art.9170

Art.9020

Tank Fittings Set consisting of: plastic flush mechanism with dual-control push button (Art.9010) + Plastic automatic inlet valve, heavy model, 3/8" (Art.9015) - Outlet rate: 2.1l/sec., Inlet rate at 3 bar: 11 l/min., Overflow rate: 22 l/min., Noise: 12 DBA.

Art.9100

Heavy brass high level cistern flush mechanism with built-in push button and copper connection pipe.

Art.9207

Tank Fittings Set consisting of: plastic flush mechanism with dual-control push button (Art.9200) + Plastic automatic inlet valve, heavy model, 3/8" (Art.9202) - Outlet rate: 2.1l/sec., Inlet rate at 3 bar: 11 l/min., Overflow rate: 22 l/min., Noise: 12 DBA.

Art.9170


plastic high level cistern flush mechanism with pull chain and with white pull-handle.

Art.9209

Tank Fittings Set consisting of: plastic flush mechanism with dual-control push button (Art.9200) + Plastic automatic inlet valve with bottom inlet, heavy model 3/8" (Art.9203) - Outlet rate: 2.1l/sec., Inlet rate at 3 bar: 11 l/min., Overflow rate: 22 l/min., Noise: 12 DBA.

PLUMBING ACCESSORIES


PLUMBING ACCESSORIES




Art.2550



Art.101UG



Art.2555



Art.2553



Art.101U

Art.2550

Bailer fixing screw set consisting of: 2 x L-Screws (10x95mm) and 2 x wall plugs, packed each piece in a plastic bag.

Art.2553

Washbasin fixing screw set consisting of: 2 x Stud-Screw (10x120mm), 2 x Hexagonal nuts, 2 x Squeeze washers and 2 x wall plugs, packed each piece in a plastic bag.

Art.2555

Standard Washbasin/WC. fixing screw set consisting of: 2 x Stud-Screw (6x82mm), 2 x Hexagonal nuts, 2 x Squeeze washers and 2 x wall plugs, packed each piece in a plastic bag.

Art.101U


galvanized pipe clips with nail shaft, available in the sizes: 3/8", 1/2", 3/4", 1", 1.1/4", 1.1/2", 2", 2.1/2", 3", 4", 5", 6".

Art.101UG


galvanized pipe clips with hexagonal M8/M10 nut, available in the sizes: 1/2", 3/4", 1", 1.1/4", 1.1/2", 2", 2.1/2", 3", 4", 5", 6".



Plumbing Accessories



Art.13000



Art.12535




Art.12528



Art.101RG

Art.12530

first class threading seal Mazzoni Hemp in 200gm bundles, made of natural materials.



Art.12528

ALMANIT threading seal tape made of non-hardened mouldable dry PTFE, manufactured according to DIN 30660 and BS 7786 1995 GRADE L, of high density and wide working temp. range. Standard Size: 12mm wide, 0.08mm thick, 8meter long (available also in the lengths: 10 and 12meter).

Art.101RG

galvanized pipe clips with hexagonal M8/M10 nut, with insulating rubber layer, available in the sizes: 3/8", 1/2", 3/4", 1", 1.1/4", 1.1/2", 2", 2.1/2", 3", 4", 5", 6".

Art.12535

Silicone sealant for Sanitary and Glass, a ready to use paste packed in cartridges of (280ml or 310ml), manufactured according to DIN 18545 E, highly adhesive, permanently elastic, fungus resistant, can be easily applied by means of a gun for sealants, available in different sanitary colours.

Art.13000

SOFIT tubes for insulating sanitary and heating pipe-lines, made of an extremely tear-resistant material with excellent gliding properties, available in the sizes: 15, 22, 28, 35, 42, 54 and 63mm diam.

Plumbing Accessories
SERIES

Art.12770



Art.13655



Art.81385



Art.12770

GRIFTON UNI_100GT Solvent cement for cementing PVC pipes and fittings. Can be used for both pressure and drainage systems. Tolerances: gap 0,8mm max/press fit 0,2mm max., meets KIWA (NEN 7106) requirements. Can be used at tropical Temperatures, available in Tins with screw lid and brush in the sizes: 250, 500 and 1000ml.

Art.81385

Rosettes, 1/2", available in the sizes: 5, 10, 15, 20, 25, 30, 35, 42 and 50mm.


Art.13655

Multi-Jet Super water meter, nominal flow rate G_n 1,5 ...10, with dry-dial meter suitable for water of less than optimum quality, with an register cup incentive to pressure and diffusion, suitable for cold water up to 50°C, to be used for horizontal installations (approval Class B), display capacity 99 999m³ or in Imperial Gallons.



Mirror Cabinets


M I R R O R C A B I N E T S



Art.5486




Art.5481




Art.5480



Art.5474



Art.5435



Art.5478

Art.5486

PUNTO LS Mirror cabinet, B x H x T: 96 x 67 x 22,5 cm, Polystyrene casing, one fluorescent lamp 18 W, adjustable interior glass shelves, tooth-brush holder, 3 mirror doors with magnetic catch, socket, switch. Available in White and Granite colours.

Art.5474

DANICA LS Mirror cabinet, B x H x T: 75 x 60,5 x 18 cm, Polystyrene casing, one fluorescent lamp 18 W, adjustable interior shelves, 3 mirror doors with magnetic catch, one spacious drawer, socket, switch. Available in White and Granite colours.

Art.5481

SATINA HALOGEN Mirror cabinet, B x H x T: 72,5 x 57 x 21 cm, Polystyrene casing, 3 halogen lamps 10 W, adjustable interior shelves, 3 mirror doors with magnetic catch, cosmetics mirror, 3 drawers, socket, switch. Available in White and Granite colours.

Art.5435

LASA Mirror cabinet, B x H x T: 59 x 50 x 15,5 cm, Polystyrene casing for 2 incandescent bulbs 40 W., adjustable interior shelves, tooth-brush holder, 3 mirror doors, 2 drawers, socket, switch. Available in White, Beige and Granite colours.


Art.5480

SATINA LS Mirror cabinet, B x H x T: 72,5 x 57 x 16,5 cm, Polystyrene casing, one fluorescent lamp 18 W, adjustable interior shelves, 3 mirror doors with magnetic catch, cosmetics mirror, 3 drawers, socket, switch. Available in White and Granite colours.

Art.5478

MISTRAL Mirror cabinet, B x H x T: 69 x 72 x 18 cm, Polystyrene casing white, one fluorescent lamp 18 W, adjustable interior shelves, 2 mirror doors with magnetic catch, one central mirror with shelf, one spacious drawer (coloured), socket, switch. Available in White and White/Blue colours.


Mirror Cabinets SERIES




Art. 5476




Art. 5477




Art. 5463




Art. 5448




Art. 5449




Art. 5425



Art. 5419



Art. 5473



Art. 5430

Art. 5476

ARENA GL Mirror cabinet, B x H x T: 68 x 60 x 18 cm, Polystyrene casing, 2 incandescent bulbs 25 W, adjustable interior shelves, 2 mirror doors, one central mirror with shelf, socket, switch. Available in White, Marine Blue and Granite colours.

Art. 5448

TOPAS Mirror cabinet, B x H x T: 60 x 53 x 16 cm, Polystyrene casing for 2 incandescent bulbs 40 W, adjustable interior shelves, tooth-brush holder, 3 mirror doors, 2 drawers, socket, switch. Available in White, Beige and Granite colours.

Art. 5419

CRISTALL Mirror cabinet, B x H x T: 60 x 41 x 15 cm, Polystyrene casing, adjustable interior shelves, 3 mirror doors. Available in White and Beige colours.

Art. 5477

ARENA HALOGEN Mirror cabinet, B x H x T: 68 x 60 x 18 cm, Polystyrene casing, 2 Halogen lamps a 10 Watt, adjustable interior shelves, 2 mirror doors, one central mirror with shelf, socket, switch. Available in White, Marine Blue and Granite colours.

Art. 5449

TOPAS LS Mirror cabinet, B x H x T: 60 x 53 x 16 cm, Polystyrene casing, one fluorescent lamp 15 W, adjustable interior shelves, tooth-brush holder, 3 mirror doors, 2 drawers, socket, switch. Available in White, Beige and Granite colours.

Art. 5473

AUIDA Mirror cabinet, B x H x T: 68,5 x 54,5 x 18 cm, Polystyrene casing, one fluorescent lamp 18 W, adjustable interior shelves, tooth-brush holder, 3 mirror doors with magnetic catch, 3 telescopic drawers, socket, switch. Available in White, Beige and Granite colours.

Art. 5463

PRIMERA Mirror cabinet, B x H x T: 64 x 53,5 x 16,5 cm, Polystyrene casing, one fluorescent lamp 15 W, adjustable interior shelves, tooth-brush holder, 3 mirror doors with magnetic catch, 2 drawers, socket, switch. Available in White and Beige colours.

Art. 5425

CHICO GL Mirror cabinet, B x H x T: 62 x 52 x 18 cm, Polystyrene casing, one incandescent bulb 40 W, 2 mirror doors, with central mirror, socket, switch. Available in White, Marine Blue and Granite colours.

Art. 5430

CARINA Mirror cabinet, B x H x T: 60 x 46 x 15 cm, Polystyrene casing for 2 incandescent bulbs 40 W, adjustable interior shelves, tooth-brush holder, 3 mirror doors, socket, switch, w/out side shelves. Available in White and Beige colours.



almanit sanitary fittings

almanit export gmbh

Wartenau7

22089 Hamburg

Germany

Tel: 0049 40 2513347

Fax: 0049 40 2513681

eMail: info@almanit.de

Internet: www.almanit.com

almanit export gmbh



**GERMAN SANITARY
FITTINGS**



almanit sanitary fittings



...more than 35 years experience in dealing with Sanitary Fittings and Plumbing products.

almanit export gmbh
Wartenau 7
22089 Hamburg
Germany
Tel.: 0049 40 2513347
Fax.: 0049 40 2513681
eMail: info@almanit.de
Home Page: www.almanit.com

Our company

is one of the leading and most successful German export houses for Sanitary fittings and other related products. Since 1980, we have been supplying our markets with a wide range of faucets, fittings and valves for bathroom, kitchen and other sanitary installations. Our products are partly supplied under our "ALMANIT" and "GERMANIT ARMATUREN" brand names.

Our Programme ...

Includes a broad range of models covering most market segments from basic to luxury, and from classical to modern design. Private, commercial, or institutional customers will find the products they need in our programme.

The most popular product groups in our extensive range cover:

+ **Faucets and Fittings:** we supply a wide range of water mixers for bathroom and kitchen in different finishes and designs, with compression or ceramic valving (example: one hole lavatory and bidet mixers, one lever mixers, concealed 3-hole mixers, ...etc.). We have different mixer models for both wall and concealed installations. Most of our faucets/mixers can be supplied with different models of handles which are fitted according to customers demands. Also to secure our customers an extended product range from a single source, we supply Shower Fittings including hand shower sets, adjustable shower heads, shower arms, ...etc.

+ **Water Taps and Valves:** we supply a variety of bib cocks in different finishes and designs (example: taps with and without hose-union, taps with T-handle, taps with upper part for key, ...etc.). We supply also a wide range of Stopcocks, Ball valves, Gate valves, and Angle valves in different models and designs.

+ **Hoses and Pipes:** we supply a wide range of flexible hoses and tubes with different ends to adapt to any type of standard valves and fittings (example: brass-strips hoses, PVC hoses, copper tubes, st. Steel-wire screened hoses, aluminium-wire screened hoses, ...etc.).

+ **Other Product Lines:** Sanitary fittings are the core of our business. We supply more than 5.000 products in numerous models and options. **Products shown in our catalogue represents only our fast moving items.** For additional information about other products, please send us your detailed inquiry so that we can offer accordingly.

Our Markets ...

We can supply our products world wide. Our main markets are in parts of Europe, in the Far- and Middle East area and in some parts of Africa.

Our Service ...

More than 30 years of experience provided our management with thorough knowledge of products and markets at manufacturers as well as end-users side, enabling us to satisfy our customers requirements with ultimate precision and assisting the manufacturers to do the same. Also as a family run company, we attach great importance to personal relationships to our customers. This helps us to meet individual customer wishes quickly and unbureaucratically.

CONTENTS

PAGES

A) ONE LEVER MIXERS:

A.1 SUPREME Series	A.1-1 to A.1-4
A.2 EXCLUSIVE Series	A.2-1 to A.2-4
A.3 SMART.1 Series	A.3-1 to A.3-4
A.4 SMART.2 Series	A.4-1 to A.4-4
A.5 ELEGANCE.1 Series	A.5-1 to A.5-4
A.6 ELEGANCE.2 Series	A.6-1 to A.6-4

B) 2-HANDLE MIXERS:

B.1 ROYAL Series	B.1-1 to B.1-4
B.2 KOSTAR Series	B.2-1 to B.2-6
B.3 TRADITIONAL Series	B.3-1 to B.3-10

C) SPECIAL MIXERS & TAPS:

C.1 THERMOSTATIC Series	C.1-1 to C.1-2
C.2 HOSPITAL Series (Elbow-Action)	C.2-1 to C.2-6
C.3 Self Closing Taps	C.3-1 to C.3-6

D) SHOWERS & CO.:

D.1 Hand Shower Sets	D.1-1 to D.1-5
D.1 Hand Showers	D.1-6
D.1 Shower heads & Shower Arms	D.1-7
D.1 Hand Shower Hooks	D.1-8
D.1 Stand Pipes	D.1-9
D.1 Brass Shower & Bidet Hoses	D.1-10
D.1 Plastic Shower Hoses	D.1-11
D.1 Wire Flexible Hoses	D.1-12
D.1 Copper Hoses & Tubes	D.1-13 to D.1-14
D.2 Select Shattaf Sets	D.2-1 to D.2-3
D.2 Almanit & Germanit Shattaf Sets	D.2-4

E) VALVES & BIBCOCKS:

E.1 Angle Valves	E.1-1 to E.1-3
E.1 Stop Cocks & Gate Valves	E.1-4
E.1 Ball Valves	E.1-5
E.1 Flush Valves	E.1-6 to E.1-8
E.1 Safety Valves	E.1-9
E.1 Check Valves	E.1-10 to E.1-11
E.1 Bib Cocks	E.1-12 to E.1-13
E.1 3-way-valve	E.1-14

F) FITTINGS:

F.1 Brass Fittings	F.1-1 to F.1-6
--------------------------	----------------

G) TRAPS & WASTES:

G.1 Brass Bottle Traps (for washbasin, sink and Bidet)	G.1-1 to G.1-2
G.1 Brass P-Traps (for washbasin, sink and Bidet)	G.1-3
G.1 Brass Wastes	G.1-4
G.1 Plastic Traps (for washbasin and Sink)	G.1-5 to G.1-7
G.1 Plastic Wastes	G.1-8 to G.1-9
G.1 Bath-Waste and Over-flows (in brass or plastic)	G.1-10 to G.1-11
G.1 Bath Traps (brass and plastic)	G.1-12 to G.1-13
G.1 St. Steel Waste Cover	G.1-14
G.1 Flush Pipes	G.1-15
G.1 Siphon pipes	G.1-16

CONTENTS

PAGES

H) WC FITTINGS:

H.1 Cistern Flush Valves.....	H.1-1 to H.1-5
H.1 Flush Valve for High Mounted Cistern.....	H.1-6

I) WATER METERS:

I.1 NSO ALMANIT Water Meter	I.1-1 to I.1-6
-----------------------------------	----------------

J) BUILDING MATERIALS:

J.1 Screw Sets	J.1-1 to J.1-2
J.1 OBO Clips	J.1-3
J.1 ALMANIT & GERMANIT Silicone	J.1-5
J.1 PTFE Threading Tape	J.1-6
J.1 FERMIT Sealing Products	J.1-7
J.1 ISOFIT insulation tubes	J.1-8
J.1 PVC Solvent Cement	J.1-9 to J.1-10



almanit one lever mixers

SUPREME

** chrome plated*

** chrome/gold*

** white/chrome*



** gold plated*

** white/gold*

** black/gold*


*Manufactured under strict german standards of quality control
according to DIN 52218 and EN ISO 3822-2*

almanit export gmbh

Sanitary Fittings Made in Germany




Washbasin & Bidet



Art.680001.SUPREME

One lever Washbasin mixer with 40mm ceramic cartridge, with metal lever handle, with cast spout with aerator, with metal pop-up waste (1.1/4"), with flexible connection hoses (35cmx1/2").




Art.680041.SUPREME

One lever Bidet mixer with 40mm ceramic cartridge, with metal lever handle, with cast spout with ball-joint aerator, with metal pop-up waste (1.1/4"), with flexible connection hoses (35cmx1/2").




Bath & Shower



Art.680021.SUPREME

One lever Bath mixer with 40mm ceramic cartridge, with metal lever handle, with cast spout with built-in diverter, with aerator, with hose connection (1/2").



Art.680011.SUPREME

One lever Shower mixer with 40mm ceramic cartridge, with metal lever handle, with hose connection (1/2").




almanit one lever mixers

EXCLUSIVE

* chrome plated

* chrome/gold

* gold plated



* white/chrome

* white/gold

* black/gold


*Manufactured under strict german standards of quality control
according to DIN 52218 and EN ISO 3822-2*

almanit export gmbh

Sanitary Fittings Made in Germany




Washbasin & Bidet



Art.68001.EXCLUSIVE

One lever Washbasin mixer with 40mm ceramic cartridge, with metal lever handle, with cast spout fitted with aerator, with metal pop-up waste (1.1/4"), with flexible connection hoses (35cmx1/2").




Art.680041.EXCLUSIVE

One lever Bidet mixer with 40mm ceramic cartridge, with metal lever handle, with cast spout fitted with ball-joint aerator, with metal pop-up waste (1.1/4"), with flexible connection hoses (35cmx1/2").




Bath & Shower



Art.680021.EXCLUSIVE

One lever Bath mixer with 40mm ceramic cartridge, with metal lever handle, with cast spout with built-in diverter, with aerator, with 1/2“ flexible hose connection.



Art.680011.EXCLUSIVE

One lever Shower mixer with 40mm ceramic cartridge, with metal lever handle, with 1/2“ flexible hose connection.



Ceramic Cartridge



Technical Features

Our ceramic disc cartridges are produced under strict standards of quality control and constant research and development. Two sintered ceramic discs guarantee permanent action and high reliability in time. Thanks to the special shape of the discs, the water flow can be increased or lessened as required without any concurrent variations in the chosen temperature.

Sanitary Fittings
Made in Germany

almanit export gmbh
Wartenau 7
22089 Hamburg
Germany
Tel.: 0049 40 251 33 47
Fax: 0049 40 251 36 81
eMail: info@almanit.de



almanit one lever mixers

SMART.1

** chrome plated*

** chrome/gold*

** gold plated*



** white/chrome*

** white/gold*

** black/gold*


*Manufactured under strict german standards of quality control
according to DIN 52218 and EN ISO 3822-0*

almanit export gmbh

Sanitary Fittings Made in Germany




Washbasin & Bidet



Art.680001.SMART.1

One lever Washbasin mixer with 40mm ceramic cartridge, with metal lever handle (open type), with metal pop-up waste (1.1/4"), with st. steel wire connection hoses (35cm long x 1/2").




Art.680041.SMART.1

One lever Bidet mixer with 40mm ceramic cartridge, with metal lever handle (open type), with metal pop-up waste (1.1/4"), with st. steel wire connection hoses (35cm long x 1/2").




Bath & Shower



Art.680021.SMART.1

One lever bath mixer with 40mm ceramic cartridge, with metal lever handle (open type), with cast spout with built-in diverter and with 1/2" hose connection, with aerator.




Art.680051.SMART.1

One lever wall mixer with 40mm ceramic cartridge, with metal lever handle (open type), with movable cast spout (200 or 300mm long) with aerator, with wall S-connections and wall rosettes.




Kitchen Mixers



Art.680031.SMART.1

One lever Kitchen mixer with 40mm ceramic cartridge, with metal lever handle (open type), with with movable cast spout with aerator, with st. steel wire flexible connection hoses (35cm long x 1/2").



Art.680033.SMART.1

One lever Kitchen mixer with 40mm ceramic cartridge, with metal lever handle (open type), with with movable spout with extractable flush shower, with st. steel wire flexible connection hoses (35cm long x 1/2").




almanit one lever mixers

SMART.2

** chrome plated*

** chrome/gold*

** gold plated*



** white/chrome*

** white/gold*

** black/gold*


*Manufactured under strict germen standards of quality control
according to DIN 52218 and EN ISO 3822-2*

almanit export gmbh

Sanitary Fittings Made in Germany




Washbasin & Bidet



Art.680001.SMART.2

One lever Washbasin mixer with 35mm ceramic cartridge, with metal lever handle (open type), with cast spout fitted with aerator, with metal pop-up waste (1.1/4"), with copper connection pipes.




Art.680041.SMART.2

One lever Bidet mixer with 35mm ceramic cartridge, with metal lever handle (open type), with cast spout fitted with a ball-joint aerator, with metal pop-up waste (1.1/4"), with copper connection pipes.




Bath & Shower



Art.680021.SMART.2

One lever Bath mixer with 35mm ceramic cartridge, with metal lever handle (open type), with cast spout with built-in diverter, with aerator, with hose connection (1/2").




Art.680011.SMART.2

One lever Shower mixer with 35mm ceramic cartridge, with metal lever handle (open type), with hose connection.




Kitchen Mixers




Art.680034.SMART.2

One lever Kitchen mixer with 35mm ceramic cartridge, with metal lever handle (open type), with movable HU-Spout fitted with aerator.



Art.680031.SMART.2

One lever Kitchen mixer with 35mm ceramic cartridge, with metal lever handle (open type), with movable cast spout fitted with aerator.



Art.680052.SMART.2

One lever Wall mounted Kitchen mixer 35mm ceramic cartridge, with metal lever handle (open type), with movable HU-Spout with aerator.




almanit one lever mixers

ELEGANCE.1

** chrome plated*

** chrome/gold*

** white/chrome*



** gold plated*

** white/gold*

** black/gold*


*Manufactured under strict german standards of quality control
according to DIN 52218 and EN ISO 3822-2*

almanit export gmbh

Sanitary Fittings Made in Germany




Washbasin & Bidet



Art.680001.ELEGANCE.1

One lever Washbasin mixer with 40mm ceramic cartridge, with metal lever handle (closed type), with cast spout fitted with aerator, with pop-up waste (1.1/4"), with connection pipes.




Art.680041.ELEGANCE.1

One lever Bidet mixer with 40mm ceramic cartridge, with metal lever handle (closed type), with cast spout fitted with ball-joint aerator, with pop-up waste (1.1/4"), with connection pipes.




Bath & Shower



Art.680021.ELEGANCE.1

One lever Bath mixer with 40mm ceramic cartridge, with metal lever handle (closed type), with cast spout with built-in diverter, with aerator, with hose connection (1/2").




Art.680011.ELEGANCE.1

One lever Shower mixer with 40mm ceramic cartridge, with metal lever handle (closed type), with hose connection (1/2").




Kitchen Mixers




Art.680033.ELEGANCE.1

One lever Kitchen mixer with movable spout with extractable flush shower



Art.680031.ELEGANCE.1

One lever Kitchen mixer with movable cast spout fitted with aerator.



Art.680051.ELEGANCE.1

One lever wall mounted Kitchen mixer with movable cast spout fitted with aerator (spout of 200 or 300mm projection).



almanit one lever mixers

ELEGANCE.2

*** chrome plated**

*** chrome/gold**

*** gold plated**



*** white/chrome**

*** white/gold**

*** black/gold**


*Manufactured under strict german standards of quality control
according to DIN 52218 and EN ISO 3822-0*

almanit export gmbh

Sanitary Fittings Made in Germany




Washbasin & Bidet



Art.680001.ELEGANCE.2

One lever Washbasin mixer with 40mm ceramic cartridge, with metal lever handle (open type), with metal pop-up waste (1.1/4"), with st. steel wire connection hoses (35cm long x 1/2").




Art.680041.ELEGANCE.2

One lever Bidet mixer with 40mm ceramic cartridge, with metal lever handle (open type), with metal pop-up waste (1.1/4"), with st. steel wire connection hoses (35cm long x 1/2").




Bath & Shower



Art.680021.ELEGANCE.2

One lever bath mixer with 40mm ceramic cartridge, with metal lever handle (open type), with cast spout with built-in diverter and with 1/2" hose connection, with aerator.




Art.680051.ELEGANCE.2

One lever wall mixer with 40mm ceramic cartridge, with metal lever handle (open type), with movable cast spout (200 or 300mm long) with aerator, with wall S-connections and wall rosettes.




Kitchen Mixers



Art.680031.ELEGANCE.2

One lever Kitchen mixer with 40mm ceramic cartridge, with metal lever handle (open type), with with movable cast spout with aerator, with st. steel wire flexible connection hoses (35cm long x 1/2").



Art.680033.ELEGANCE.2

One lever Kitchen mixer with 40mm ceramic cartridge, with metal lever handle (open type), with with movable spout with extractable flush shower, with st. steel wire flexible connection hoses (35cm long x 1/2").



almanit one lever mixers

PRESTIGE.1



*** chrome plated**

*** chrome/gold**

*** gold plated**

*** white/chrome**

*** white/gold**

*** black/gold**

*Manufactured under strict german standards of quality control
according to DIN 52218 and EN ISO 3822-0*

almanit export gmbh

Sanitary Fittings Made in Germany



Washbasin & Bidet



Art.680001.PRESTIGE.1

One lever Washbasin mixer with 40mm ceramic cartridge, with metal lever handle (open type), with metal pop-up waste (1.1/4"), with st. steel wire connection hoses (35cm long x 1/2").



Art.680041.PRESTIGE.1

One lever Bidet mixer with 40mm ceramic cartridge, with metal lever handle (open type), with metal pop-up waste (1.1/4"), with st. steel wire connection hoses (35cm long x 1/2").



Bath & Kitchen



Art.680021.PRESTIGE.1

One lever bath mixer with 40mm ceramic cartridge, with metal lever handle (open type), with cast spout with built-in diverter and with 1/2" hose connection, with aerator.



Art.680031.PRESTIGE.1

One lever Kitchen mixer with 40mm ceramic cartridge, with metal lever handle (open type), with movable cast spout, with flexible connection hoses (35cm long x 1/2").



almanit 2-handle mixers

ROYAL





Manufactured under strict german standards of quality control with regards to noise level and water flow.

almanit export gmbh

Sanitary Fittings Made in Germany





Bath & Shower Mixers



Art.61080/B.ROYAL



See cover photo

Bath mixer with fork rest (3/4"x1/2"), with c. p. brass flexible hose (150cm long), with Hand Shower, with conical wall support.



Art.61090/B.ROYAL

Bath mixer with fork rest (3/4"x1/2"), with c. p. brass flexible hose (150cm long), with Hand Shower, with conical wall support.




Art.61070/B.ROYAL


Bath mixer with built-in diverter with 1/2" hose connection, with flexible hose (150cm long), with Hand Shower, with conical wall support.





Washbasin Mixers



Art.63004.ROYAL
Concealed 3-hole washbasin mixer with cast spout, with pop-up waste (1.1/4").




Art.63012.ROYAL
One hole washbasin mixer with cast spout, with pop-up waste (1.1/4").





Art.63034.ROYAL
One hole washbasin mixer with movable cast spout, with pop-up waste (1.1/4").




Bidet Mixers



Art.63024.ROYAL
Concealed (3-hole) bidet mixer with under shower, with pop-up waste .



Art.624451.ROYAL
One hole bidet mixer with cast spout with ball-joint aerator, with pop-up waste (1.1/4“).



Art.624452.ROYAL
Heavy model one hole bidet mixer, with cast spout, with ball-joint aerator, with pop-up waste (1./4“).



almanit 2-handle mixers

KOSTAR



Manufactured under strict germen standards of quality control with regards to noise level and water flow.

almanit export gmbh

Sanitary Fittings Made in Germany




Bath & Shower Mixers



Art.61080/B.KOSTAR

Bath mixer with fork rest (3/4"x1/2"), with c. p. brass flexible hose (150cm long), with Hand Shower, with conical wall support.




Art.630170.KOSTAR



Bath and shower mixer with cast spout with built-in diverter, with 1/2" hose connection.




Washbasin Mixers



Art.63004.KOSTAR
Concealed 3-hole washbasin mixer with cast spout, with pop-up waste.




Art.63013.KOSTAR
Heavy model one hole washbasin mixer with pop-up waste (1.1/4“).




Art.63012.KOSTAR
One hole washbasin mixer with cast spout, with pop-up waste (1.1/4“).




Bidet Mixers



Art.63024.KOSTAR
Concealed (3-hole) bidet mixer with under shower, with pop-up waste .




Art.624452.KOSTAR
Heavy model one hole bidet mixer, with cast spout, with ball-joint aerator, with pop-up waste (1/4").



Art.624451.KOSTAR
One hole bidet mixer with cast spout with ball-joint aerator, with pop-up.




Kitchen Mixers



Art.630101.KOSTAR

One hole mixer with HU-Spout (150mm), with flexible connection hoses



Art.61030U.KOSTAR

Wall mounted sink mixer, with U-Spout (200mm), also available with HU- (150mm) and S-Spout (200mm).

The **KOSTAR Series** is supplied with a DIN model head work (1/2") of long life and exact flow control. It can be supplied also with a ceramic head work (90° or 180°) in case of demand.





almanit 2-handle mixers

TRADITIONAL




*Manufactured under strict german standards of quality control
with regards to noise level and water flow.*

almanit export gmbh

Sanitary Fittings Made in Germany




Bath & Shower Mixers




Art.61080. TRADITIONAL

Bath mixer with cast spout, with 3/4" outlet, with right/left diverter.



Art.61080/B. TRADITIONAL

Bath mixer with hand shower rest, with flexible hose with hand shower.




Art.630170. TRADITIONAL


Bath mixer, Jet Model, with flexible hose, with hand shower & wall Hook



Bath & Shower Mixers




Art.63019.TRADITIONAL
Concealed bath mixer with 5-way cock, with cast spout, with shower arm, with shower head, with flexible hose, with hand shower, with wall hook.




Art.63018.TRADITIONAL
Concealed bath mixer with 4-way cock, cast spout, shower arm & shower head.




Washbasin Mixers



Art.63004.TRADITIONAL
Concealed 3-hole washbasin mixer with cast spout, with pop-up waste (1.1/4").




Art.63004.TRADITIONAL
Concealed 3-hole washbasin mixer with movable cast spout with pop-up waste.



Art.63032.TRADITIONAL
One hole washbasin mixer with movable cast spout, with pop-up waste 1.1/4".




Washbasin Mixers




Art.63012. TRADITIONAL

c.p. brass one hole washbasin mixer with cast spout, with pop-up waste 1.1/4"



Art.61172. TRADITIONAL

c.p. 2-hole washbasin/sink mixer with adjustable S-connections, with HU-Spout.




Art.6117. TRADITIONAL

c.p. brass 2-hole washbasin mixer with adjustable bridge, with HU-Spout (150mm).




One-Hole Mixers




Art.63033. TRADITIONAL

One hole washbasin mixer with movable HU-spout, with pop-up waste 1.1/4“.



Art.630091. TRADITIONAL

c.p. brass One hole mixer with movable spout, with chain and counter weight.




Art.630100. TRADITIONAL

c.p. brass one hole mixer with movable HU-spout, with chain ring.




One-Hole Mixers




Art.630102.TRADITIONAL

c.p. one hole mixer with movable spout, with brush hand shower and flex. hose.



Art.65060.TRADITIONAL

c.p. brass one hole tap with movable HU-spout, with 1/2" threading.




Art.65065.TRADITIONAL

c.p. brass one hole washbasin tap, with cast spout fitted with aerator, 1/2".




Kitchen Mixers & Taps




Art.61030. TRADITIONAL

Wall sink mixer available in HU-, U- and S-Spout (18mm dim.) fitted with perlator.



Art.630127U. TRADITIONAL

Wall sink tap available with HU- and U-Spout (18mm dim.) with perlator.




Art.630101. TRADITIONAL


One hole mixer with HU-Spout (200mmx18mm dim) with aerator, heavy model.




Bidet Mixers



Art.63024.TRADITIONAL
c.p. concealed 3-hole bidet mixer with under shower, pop-up waste (1.1/4").



Art.624451.TRADITIONAL
c.p. one hole bidet mixer with ball-joint aerator, with pop-up waste (1.1/4").



Art.63025.TRADITIONAL
Concealed bidet 3-hole mixer with under shower, with pip-up waste (1.1/4").



Parts & Accessories



Traditional.1



Traditional.2



Traditional.3



Traditional.4

Our *Traditional Series* can be supplied with different types of handles:

- + *Traditional 1*: with c. p. 3 point crown handles.
- + *Traditional 2*: with c.p. TDL-handles.
- + *Traditional 3*: with Acrylic handles.
- + *Traditional 3*: with Acrylic handles.

Our *Traditional Series* are supplied with high quality head works manufactured to german standards which guarantees long life and accurate temperature choice.



AL-3



AL-2



AL-1

SPOUTS:

Most of the mixers supplied under this series can be provided with different spout models in a wide range of sizes.



HU-Spout



S-Spout




U-Spout



almanit 2-handle mixers

TRADITIONAL.3



*Manufactured under strict german standards of quality control
with regards to noise level and water flow.*

almanit export gmbh

Sanitary Fittings Made in Germany



Bath & Shower Mixers



Art.61080.TRADITIONAL.3

Bath mixer with cast spout, with 3/4" outlet, with right/left diverter.



Art.630170.TRADITIONAL.3

Bath mixer, Jet Model, with flexible hose, with hand shower & wall Hook



Washbasin Mixers



Art.6117.TRADITIONAL.3

c.p. brass 2-hole washbasin mixer with adjustable bridge, with HU-Spout (150mm).



Art.630101.TRADITIONAL.3

One hole mixer with HU-Spout (200mmx18mm dim) with aerator, heavy model.



Kitchen Mixers & Taps




Art.61030HU.TRADITIONAL.3

Wall sink mixer available in HU-Spout (18mm dim.) fitted with perlator.



almanit 2-handle mixers

TRADITIONAL.5




*Manufactured under strict german standards of quality control
with regards to noise level and water flow.*

almanit export gmbh

Sanitary Fittings Made in Germany



Bath & Shower Mixers




Art.630170.TRADITIONAL.5


Bath mixer, Jet Model, with flexible hose, with hand shower & wall Hook, with FLORIDA type Handles, with 180° ceramic cartridges.



Washbasin Mixers




Art.6117.TRADITIONAL.5
c.p. brass 2-hole washbasin mixer with adjustable bridge, with HU-Spout (150mm), with FLORIDA type Handles, with 180° ceramic cartridges.



Art.63032.TRADITIONAL.5
One hole mixer with movable cast Spout with aerator, heavy model, with pop-up waste, with FLORIDA type Handles with 180° ceramic cartridges.




Sink & Bidet Mixers



Art.61030HU.TRADITIONAL.5

Wall sink mixer available in HU-Spout (18mm dim.) fitted with perlator, with FLORIDA type handles, with 180° ceramic cartridges.




Art.624451.TRADITIONAL.5

One hole bidet mixer with pop-up waste, with FLORIDA type handles, with 180° ceramic cartridges.



almanit special mixers

THERMOSTATIC



*** ENERGY SAVING * SAFETY * RELIABILITY * COMFORT**


*Manufactured according to german standards of quality control
with regards to noise level and water flow.*

almanit export gmbh

Sanitary Fittings Made in Germany




Bath & Shower



Art.670021.THERMOSTATIC

Thermostatic Bath mixer, wall mounted, with built-in diverter, with 1/2" flexible hose connection.




Art.670011.THERMOSTATIC

Thermostatic Shower mixer, wall mounted, with 1/2" hose connection.



almanit special mixers

HOSPITAL



*Manufactured under strict germen standards of quality control
according to DIN 52218 and EN ISO 3822-2*

almanit export gmbh

Sanitary Fittings Made in Germany



Elbow-Action Mixers

Elbow-Action Anti-Scalding mixer with bend connections (1/2“):

Art.8847 with reversing shower rose

Art.8848 with aerator

Inside-gauge : 160mm

Projection : 240mm



Elbow-Action Anti-Scalding mixer with pre-regulating valves, upper parts with closed caps for socket wrench (1/2“):

Art.8845 with reversing shower rose

Art.8846 with aerator

Inside-gauge : 160mm

Projection : 240mm



Elbow-Action Anti-Scalding mixer with pre-regulating valves, upper parts with closed caps for socket wrench (1/2“):

Art.8865 with reversing shower rose

Art.8866 with aerator

Inside-gauge : adjustable 150-190mm

Projection : 240mm





Elbow-Action Mixers

Elbow-Action Anti-Scalding mixer with pre-regulating valves, upper parts with closed caps for socket wrench, with swivel spout (1/2“):

Art.8877 with reversing shower rose

Art.8876 with aerator

Art.8875 with bordered spout



Elbow-Action Anti-Scalding mixer pillar-type with pre-regulating valves, upper parts with closed caps for socket wrench (1/2“):

Art.8871 with reversing shower rose

Art.8871 with aerator

Inside-gauge : 200mm

Height : 200mm

Projection : 175mm




Elbow-Action mixer with 2 arm levers, with pre-regulating valves, upper parts with closed caps for socket wrench (1/2“)

Art.8886 with reversing shower rose

Art.8887 with aerator

Inside-gauge : adjustable 165mm

Projection : 200mm





Elbow-Action Taps

Elbow-Action Bib cock (1/2“):

Art.8901 with reversing shower rose

Art.8902 with aerator

Art.8903 with swivel spout and aerator

Projection : 200mm



Elbow-Action Bib cock, with quick rising spindle (1/2“):

Art.8646 with aerator

Arm lever : 90mm



Elbow-Action Bib cock, with quick rising spindle (1/2“):

Art.8645

Arm lever : 90mm



Elbow-Action pillar tap with quick rising spindle (1/2“):

Art.8647

Arm lever : 90mm





Elbow-Action Fittings

Elbow-Action Mixer for dissecting-tables, complete with hand shower, length of feeding-pipe up to middle of mixer-body: 800mm (1/2“):

Art.8881 with bend connection

Art.8882 with pre-regulating valves, with closed caps for socket wrench.



Eye-shower for wall-connection, chromed, self closing after keeping off from lever (1/2“):

Art.8834



Foot-Action Mixer, special model for wall-mounting (1/2“):

Art.8869 with bend connection

Art.8870 with pre-regulating valves





Elbow-Action Fittings

Elbow-Action Waste (1.1/4“):

Art.8906 with overflow

Art.8907 without overflow



Reversible shower rose for jet and shower:

**A) female connecting threading
M22x1**

B) 3/8“F x 3/8“

C) 1/2“F x 1/2“



Elbow-Action Stopcock all chrome plated, with quick rising spindle (1/2“):

Art.8648

Arm lever : 90mm



Elbow-Action built-in Stopcock, with quick rising spindle, 1/2“, 3/4“ and 1“.

Art.8839

Arm lever : 90mm





almanit special mixers

Self-Closing Taps



Manufactured under strict germen standards of quality control with regards to noise level and water flow.


Water is a precious resource. It is already running low in many countries. Hot water is even more expensive. As to obtain hot water we use energy. The planning of new public buildings must involve the execution of every plant and installation useful to the preservation, saving and rational use of water and energy. Whether in Factories, Schools, Hotels, Sport Centres, Hospitals, Airports, Restaurants, Railway Stations, Prisons and in any other public buildings hot and cold water must be saved without reducing comfort and easiness of use.

almanit export gmbh

Sanitary Fittings Made in Germany




Temporized Taps




Art.5001

Temporised pillar tap with press button, without water hammer.



Art.5002

Temporised wall mounted tap with press button, without water hammer.




Art.5003

Temporised wall mounted tap with press button, without water hammer.



Temporized Taps




Art.5004

c.p. Temporised urinal tap with press button, without water hammer.


Art.5004B

ditto but with copper tube fitted with 1/2" hexagonal nut & urinal rosette.



Art.5005

Temporised shower conceald tap, with press button, w/out water hammer



1/2" or 3/4"




Art.5006

Temporised shower flowmeter with press button, w/out water hammer.




Foot-Operated Fittings



Art.5007

Treadle battery without spout, without water hammer, with st. Steel plate.



Art.5009



chrome plated brass wall mounted mixer with foot pedal, without spouts.



chrome plated brass spouts for washbasin and bath in assorted models.



Drinking Water Taps



Art.5008
chrome plated brass parabolic jet button tap, 1/2", heavy model.



Art.5011



Art.5012



Art.5013



Art.5014

chrome plated brass push button glass filler in different models, 1/2".



Art.5016




Art.5015



chrome plated brass push button taps, wall mounted, 1/2".




Electronic Water Taps



Art.5020
Vandal resistant basin tap, provided with mixer located below the basin.



Art.5022
vandal resistant tap, with or w/out mixer, with steel plate, with cast spout



Art.5024
Vandal resistant basin tap, with or w/out built-in mixer valve, mov. Spout



Electronic Water Taps



Art.5025

Sensor control mixer. The body in brass and the unitised body in chrome plated aluminium have the components for the water temperature control and the electronic sensor which consumption is delimited to the real using need thus delivering the needed quantity at the required temperature.

The input with 4 x 1,5 V batteries allows in every moment the installation of a one lever mixer thus helping to cancel hydroelectric interference risks. A luminous led informs about the charging battery level.

TECHNICAL DATA

Working Pressure: 0,05 – 0,6 Mpa

Water Temperature max: 80°C

Input: ½" connections

Recognition Range: 10-15cm adjustable

Electrical Connection: DC 6 V with 4 x 1,5 V alkaline batteries type AAA

Batteries Life: 2 years for 100 drives a day



Electronic Water Taps



Art.5027

Sensor mixer managing correctly the hydro consumption, granting the highest hygienic level. It is ideal for hospitals, public places and communities. The 3 control electronic sensors (beam 12/20cm) control water delivery by delimiting the consumption to the real using need, while a special device keeps constant the temperature set before thus granting the highest comfort. All in chrome plated brass.

Technical Data:

Working Pressure: 0,05 – 0,6 Mpa

Input connections: ½”

Control Valve: special solenoid

Recognition Range: 12-20cm adjustable

Electrical Connection: DC 6 with 4 x 1,5 V alkaline batteries type AAA

Batteries Life: more than 1 year.



Electronic Water Taps

Art.5021A:

Automatic washbasin tap, battery operated.

Art.5021B:

Same as above, but with transformer.

Art.5021C:

Similar to the above but with water mixing unit, Battery operated.

Art.5021D:

Same as above but with water mixing unit, with transformer.



Art.5023A:

Automatic washbasin mixer, battery operated.

Art.5023B:

Same as above, but with transformer.



Art.5030A:

Automatic Urinal flush valve, battery operated.

Art.5030B:


Same as above, but with transformer.





almanit shower Accessories

Shower Fittings



*** Hand Showers * Shower Sets * Flexible Hoses * Copper Tubes**

*Manufactured under strict germen standards of quality control
with regards to noise level and water flow.*

almanit export gmbh

Sanitary Fittings Made in Germany



Hand Shower Sets

VARIO 3



Art.6610: VARIO 3 massage hand shower set consisting of:

- + designer model VARIO 3 hand shower with three different shower models infinitely adjustable from a stimulating normal jet, through a pulsating mixed spray, to a 3 strong massaging jets. Available also with an antiscaling insert to guarantee long durability. Easy to open and convenient to clean.
- + luxury wall fixing rail, 22mm dim., 60cm long, with locking conical slide.
- + Tenyflx super shower hose, pressure tested, highly flexible.
- + luxury soap dish (optional).



Hand Shower Sets

Regula

Art.6620:

REGULA hand shower set consisting of:


- + classical REGULA hand shower, infinitely adjustable, provided with a hose link 1/2“.
- + c. p. brass flexible hose (150cm long) fitted with 2 hexagonal nuts, 1/2“x1/2“
- + wall fixing rail with spigot slide, 18mm dim., 60cm long.



Art.6625:

REGULA hand shower set consisting of:

- + classical REGULA hand shower, infinitely adjustable.
- + c. p. brass flexible hose (150cm long) one end fitted with a conical nut, other end fitted with a hexagonal nuts, 1/2“x1/2“
- + wall fixing rail with self locking conical slide, 18mm dim., 60cm long.






Hand Shower Sets

AllStar & Crown

Art.6630:

AllStar hand shower set consisting of:

- + AllStar massage hand shower, infinitely adjustable with 9-functions.
- + c. p. brass flexible hose (150cm long) with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2".
- + wall fixing rail with conical slide, 18mm dim., 60cm long.
- + with c. p. soap holder.



Art.6635:

CROWN hand shower set consisting of:

- + CROWN massage hand shower, infinitely adjustable with 8-functions.
- + c. p. brass flexible hose (150cm long) with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2".
- + wall fixing rail with conical slide, 18mm dim., 60cm long.
- + with c. p. soap holder.





Hand Shower Sets

Top 3& Top 5

Art.6640:

TOP 3 hand shower set consisting of:

- + TOP 3 massage hand shower, infinitely adjustable with 3-functions.
- + c. p. brass flexible hose (150cm long) with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2".
- + wall fixing rail with conical slide, 18mm dim., 60cm long.
- + with c. p. soap holder.



Art.6645:

TOP 5 hand shower set consisting of:

- + TOP 5 massage hand shower, infinitely adjustable with 5-functions.
- + c. p. brass flexible hose (150cm long) with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2".
- + wall fixing rail with conical slide, 18mm dim., 60cm long.
- + with c. p. soap holder.





Hand Shower Sets

EXCLUSIVE & SUPREME



Art.6660:

- EXCLUSIVE** hand shower set consisting of:
- + **EXCLUSIVE** massage hand shower, infinitely adjustable with 3-functions.
 - + c. p. brass flexible hose (150cm long) with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2".
 - + wall fixing rail with conical slide, 24mm dim., 60cm long.
 - + soap holder.

EXCLUSIVE Hand Shower Set



Art.6670:

- SUPREME** hand shower set consisting of:
- + **SUPREME** massage hand shower, infinitely adjustable with 2-functions.
 - + c. p. brass **SUPREME** flexible hose (150cm long) with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2".
 - + wall fixing rail with conical slide, 24mm dim., 60cm long.
 - + soap holder.

SUPREME Hand Shower Set





Hand Showers



Art.8015
8-Functions shower
CROWN



Art.8025
9-Functions shower
ALLSTAR



Art.8020
3-Functions shower
TOP 3



Art.8030
5-Functions shower
TOP 5



Art.8040
5-Functions shower
SPAR



Art.8050
4-Functions shower
VARIO 3



Art.8045
3-Functions shower
REGULA



Art.8200
1-Function shower
STAR



Shower Heads & Arms



Art.5010
2-Functions shower head, with ball joint connection, 1/2“.



Art.5020
2 - Functions shower head, with ball joint connection, 1/2“



Art.5025
3-Functions shower head with ball joint connection



Art.5030
3-Functions shower head with ball joint connection



Art.81387
Steel shower rose (85mm dim) x 1/2“



Art.6086
Shower union with ball joint and rosette, 1/2“



Art.6076
Shower union with ball joint 1/2“



Art.6010
Shower arm with shower head fitted with a ball joint union




Art.6020
Shower arm with shower head fitted with ball joint union



Art.6030
Shower arm with shower head fitted with a ball joint union



Hand Shower Accessories



Art.6900
conical wall hook
simple model



Art.6903
2-way conical wall
bracket



Art.6905
3-way conical wall
bracket



Art.6904
2-way conical
wall bracket




Art.6907
3-way conical wall
bracket



Art.6531
Link for shower hose
1/2" x 3/4"



Art.6531
Link for shower
hose 1/2" x 3/4"



Art.6911
Fork rest for hand
shower 1/2" x 3/4"




Art.6533
Wall spigot for
Art.6531



Shower Mixer Attachments


Art.200:

chrome plated brass stand pipe, one bordered end fitted with a 3/4" hexagonal nut, other end with 1/2" threading, with or without shower rose (85mm dim.) with wall clip.




Art.250:

chrome plated brass stand pipe in 2 pcs, one end fitted with a 3/4" hexagonal nut, other end with 1/2" threading, with shower rose (1/2"x 85mm dim.), with 3-way cock, with flexible hose 125cm long, with hand shower, with wall support, with wall clip.





SUPREME **Flexible Hose**



Art.8138AG:

SUPREME brass flexible hose, heavy model, of 14mm diam., with brass nipple, embossed with „Made in Germany“, one end fitted with a chrome plated conical nut, other end fitted with a chrome plated hexagonal nut, 1/2“x1/2“, with washers, packed each piece in a sales carton, available in the lengths: 120, 150 and 180cm.



Flexible Hoses

Art.8138C


chrome plated brass flexible hose of 14mm dim., with one end fitted with a hexagonal nut, other end fitted with a conical nut, with washers, embossed with **ALMANIT** brand name and with **MADE IN GERMANY**.

Available Sizes (cm)

30	35	40	45	60	80	90	100	120	125	150	180
----	----	----	----	----	----	----	-----	-----	-----	-----	-----

Connection Sizes

1/2" x 1/2"	1/2" 3/4"	3/4" x 3/4"
-------------	-----------	-------------



Art.8138

ditto but both ends fitted with c. p. brass hexagonal nuts.



Art.8138WC

chrome plated brass bidet flexible hose of 14mm dim.,with one end fitted with a c. p. brass hexagonal nut (1/2"), other end fitted with a chrome plated brass nozzle with ring, with wall hook, with washer. Embossed with **ALMANIT** brand and with **MADE IN GERMANY**.

Available Sizes (cm)

90	100	120
----	-----	-----





Flexible Hoses

Art.8138P

PVC white flexible hose of 14mm dim., with c. p. brass hexagonal nuts, with washers, embossed with **MADE IN GERMANY**.

Available Sizes (cm)

30	35	40	45	60	80	90	100	120	125	150	180
----	----	----	----	----	----	----	-----	-----	-----	-----	-----



Art.8139P

Biflex plastic flexible hose of 14mm dim., with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2", available in different colour combinations.

Available Sizes (cm)

120	150	180	200
-----	-----	-----	-----



Art.8140P

EXQUISITE plastic flexible hose of 14mm dim., with one end fitted with a conical nut, other end fitted with a hexagonal nut, 1/2"x1/2", with washers, embossed **MADE IN GERMANY**.

Available Sizes (cm)

120	150	180	200
-----	-----	-----	-----





Wire Flexible Hoses

Art.8145

Stainless steel wire flexible hose (7 braid), EPDM hose, brass nipple with washer, ends fitted with c. p. brass hexagonal nuts.

Art.8155


ditto but Aluminium alloy braid.

Available Sizes (cm)

30	35	40	50	60	80	90	100	120	125	150	180
----	----	----	----	----	----	----	-----	-----	-----	-----	-----

Connection Sizes

3/8"x3/8"	3/8"x1/2"	1/2"x1/2"	1/2"x3/4"	3/4"x3/4"
-----------	-----------	-----------	-----------	-----------



Working Temp. : to 95°C
Working Pressure: 10 bar

Art.8146

Stainless steel wire flexible hose (7 braid), EPDM hose, one end fitted with a brass nipple with washer with a c. p. brass hexagonal nut, other end fitted with a male threading.

Art.8156

ditto but Aluminium alloy braid.

Available Sizes (cm)

30	35	40	50	60
----	----	----	----	----

Connection Sizes

M1/2"xF3/8"	M1/2"xF1/2"	M1/2"xF3/4"	M3/4"xF1/2"	M3/4"xF3/4"
-------------	-------------	-------------	-------------	-------------



Working Temp. : to 95°C
Working Pressure: 10 bar

Art.8147

Stainless steel wire mixer connection hose (7 braid), EPDM hose, one end fitted with a brass nipple with washer with a c. p. brass hexagonal nut, other end fitted with a male threading, 35cm long (sizes: M8xF3/8", M8xF1/2", M10xF3/8", M10xF1/2").

Art.8156

ditto but Aluminium alloy braid.





Copper Pipes & Hoses

Art.18

chrome plated copper tube, 10mm dim., bordered ends, with hexagonal nuts, with washers.

Available Sizes (cm)

30	40	45	50	60
----	----	----	----	----

Connection Sizes

1/2" x 1/2"	1/2" x 3/4"	3/4" x 3/4"
-------------	-------------	-------------



Art.15

chrome plated copper tube, 10mm dim., one end bordered with c. p. hexagonal nut (1/2" or 3/4"), other end plain.

Available Sizes (cm)

30	40	45	50	60
----	----	----	----	----



Art.16

chrome plated connection copper tube for mixers, 35cm long, with male threading (M8 or M10).



Art.6811

chrome plated brass squeeze nut, with brass conical ring, with brass washer and rubber washer.

Available Sizes

3/8" x 8mm	3/8" x 10mm	1/2" x 8mm	1/2" x 10mm
------------	-------------	------------	-------------





Flexible Copper Hoses

Art.813800

chrome plated flexible copper tube, 14mm dim., both ends bordered, with hexagonal nuts, with washers.



Available Sizes (cm)

30	40	45	50	60
----	----	----	----	----

Connection Sizes

1/2" x 1/2"	1/2"x3/4"	3/4" x 3/4"
-------------	-----------	-------------

Art.813801

chrome plated flexible copper tube, 14mm dim., one end bordered, with hexagonal nut, other end with male threading.



Available Sizes (cm)

30	40	45	50	60
----	----	----	----	----

Connection Sizes

1/2" x 1/2"	1/2"x3/4"	3/4" x 3/4"
-------------	-----------	-------------



almanit export gmbh

Shower Column & Glass Washbasin



Sanitary Fittings Made in Germany

almanit export gmbh
Wartenau 7 22089 Hamburg Germany
Tel.: 0049 40 2513347 Fax: 0049 40 2513681
eMail: info@almanit.de Homepage: www.almanit.com



Shower Column

Art.AL-214

Shower Column with one lever concealed shower mixer, with adjustable shower head, with build-in shower jet-nozzles.

Size: 1830x60x120mm



Art.AL-102

Shower Column with one lever concealed shower mixer, with adjustable shower head, with build-in shower jet-nozzles, with flexible hose and with hand shower.



Shower Column

Art.AL-103

Shower Column with concealed shower mixer, with adjustable shower head, with build-in shower jet-nozzles, with flexible hose (150cm long), with Hand shower.



Art.AL-105

Shower Column with concealed shower mixer, with adjustable shower head, with build-in shower jet-nozzles, with flexible hose (150cm), with extractable Hand shower.

Size: 1860 x 300 x 230mm



Shower Column

Art.AL-107

Shower Column with concealed one lever shower mixer, with adjustable shower head, with build-in shower jet-nozzles.

Size: 1180 x 340 x 140mm



Art.AL-108

Shower Column with concealed one lever shower mixer, with adjustable shower head, with build-in shower jet-nozzles.

Size: 1120 x 340 x 140mm



Glass Washbasin

Art.AL-302

Glass washbasin with shelf and Pedestal, designer model, available with or without mixer.



Art.AL-305

Glass washbasin with shelf and Pedestal, designer model, available with or without mixer, with Mirror.



Art.AL-307

Glass washbasin with shelf and Pedestal, designer model, available with or without mixer, with Mirror.



almanit showers & co.

SHATTAF SETS



almanit export gmbh

Sanitary Fittings Made in Germany



Select Shattaf Set



BLACK CHROME
Art.38801



CHROME
Art.38802



GOLD PLATED
Art.38803



BLACK GOLD
Art.38804



GOLD PLATED
Art.38805



CHROME
Art.38806



GOLD PLATED
Art.38807



CHROME
Art.38808



CHROME/GOLD
Art.38809

Brass made flush shower with new press mechanism, with aerator, 1/2" threading, available in different models and finishes.



Select Shattaf Set



Art.388xx

Brass made angle valve with ceramic head work (90°), with brass lever handle, in different models and finishes, 1/2"x1/2", with wall rosette.

Art.8138C

Brass made flexible hose fitted with a conical nut, 150cm long.



Almanit & Germanit *Shattaf Sets*



Art.388AC/8138C



Art.388AW/8138C

ALMANIT Shattaf Set is consisting of:
Flush shower with brass inner tube, printed with ALMANIT brand name + wall hook with screw set + c. p. brass flexible hose fitted with a conical nut, 120cm long, embossed **MADE IN GERMANY**.



Art.388GC/8138C



Art.388GC/8138C

GERMANIT Shattaf Set is consisting of:
Flush shower printed with GERMANIT brand name + wall hook with screw set + c. p. brass flexible hose fitted with a conical nut, 120cm long, embossed **MADE IN GERMANY**.



almanit valves and taps

VALVES & BIBCOCKS



- * Angle valves
- * Stop Cocks
- * Gate Valves
- * Ball Valves
- * WC-Flush Valves
- * Urinal Flush Valves
- * Safety Valves
- * Check Valves
- * Bib cocks
- * 3-Way Valves


*Manufactured under strict german standards of quality control
with regards to noise level and water flow.*

almanit export gmbh

Sanitary Fittings Made in Germany



Angle Valves




Art.6114

c.p. brass angle valve, long model, with c. p. 3 point crown handle, 1/2" x 1/2", embossed with *ALMANIT* brand name and with *GERMANY*.

Art.6114S

ditto but single packing.



Art.6115

chrome plated brass angle valve, heavy model, with ceramic head work (90°), with c. p. 3 point crown handle, 1/2"x1/2.

Art.6116

ditto but with compression head work




Art.6115S/Art.6116S


above angle valves are also available in single packing.



Angle Valves




Art.6119S
chrome plated brass angle valve, long model, with c. p. round handle, 1/2"x3/8", with squeeze nut (3/8"x10mm dim.) embossed with NIL brand name.
Art.6120S
ditto but with long squeeze nut.




Art.6121
chrome plated brass angle valve combination, 1/2"x3/8"x10mm dim., with 3/4" outlet / connection, with sliding rosette.

Art.6118
chrome plated brass squeeze nut with brass ring, brass washer and rubber washer.





Stop Cocks and Gate Valves




Art.61150

concealed stop cock, forged brass, with sliding rosette and 3 point crown handle. Ideal for heating and Sanitary applications.

Nominal Pressure : PN 16

Working Temperature: -10°C to +100°C

Sizes Available : 1/2", 3/4", 1"



Art.7210

Hot pressed brass gate valve with red wheel handle, non-rising spindle, PN10.

Available Sizes: 3/8", 1/2", 3/4", 1", 1.1/4", 1.2", 2", 2.1/2", 3", 4".


Art.7220

Ditto but heavier execution, PN16

Available Sizes: 1/2", 3/4", 1", 1.1/4", 1.2", 2", 2.1/2", 3", 4".




Ball Valves



A	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	4"
DN	15	19	24,50	32	40	50	63	80	100
B	57	69	80	92	100	123	149	170	185
C	92	115	115	125	150	150	240	240	310
D	43	52	56	71	81	89	117	135	165

Art.9640
 n. p. brass ball valve, full bore, with red aluminium handle, female x female.




A	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"
DN	15	19	24,50	32	40	50	63	80
B	47,50	51	60,15	66	80	92	104	141
C	41	43	52	56	71	81	103	116
D	92	92	92	115	125	150	150	240

Art.9645
 n. p. brass ball valve, half bore, with red aluminium handle, female x female.



WC-Flush Valves



Art.64011: WC-Flush valve, push button operated, mechanically released, without hammer, with a strong flow also at low pressure, easy to press even at high water pressure.

Technical Information	
PRESSURE	LT/MIN 1"
1 bar	36
2 bar	75
3 bar	99
4 bar	105
5 bar	108
6 bar	110

Hydraulic Norm :	DN 3265
Noise Level Norm :	DN 4109
Nominal Diameter:	DN 25 / 1"

INSTALLATION: it is necessary to install a filter and clean pipes. The correct functioning is guaranteed only where the water is free from impurities.

DISASSEMBLY: for replacement first unfasten the chrome rosette, then unscrew the screw.

Repairing:


+ *flush valve does not close correctly:* check the rubbers and / or clean the inside head of the flush valve.

+ *flush valve closes too quickly:* check the rubbers.

+ *flush valve has inadequate rate of flow:* check the size of pipes mounted before the flush valve and make sure that the filter is clean.



WC-Flush Valves




Art.64012: NIL brand WC-Flusher, smart and functional designee, quiet and economical, easy to fit, robust and reliable function, insensitive to dirt due to self-cleaning jet-bore.

Hydraulic Norm :	DN 3265
Noise Level Norm :	DN 4109
Nominal Diameter:	DN 20 / 3/4"
Dynamic Pressure:	1,2—4,0 bar

FUNCTION: each time the flusher is operated, a steel pin cleans the pressure-balance bore of the flusher piston. This guarantees blockage free functioning.


Art.64013: NIL brand concealed WC-Flush valve with push-button operation, with chrome plated surface cover plate, with flush pipe.

Technical Data	
Connection Thread :	3/4"
Flush Volume :	between 5—13 litres
Flow Pressure :	1,2—5,0 bar





Urinal Flush Valves




Art.64015: NIL brand Urinal-Flusher with flush pipe, smart and functional designee, quiet and economical, easy to fit, robust & reliable function, insensitive to dirt due to self-cleaning jet-bore.
Flush Volume: 3,0l.

Hydraulic Norm :	DN 3265
Noise Level Norm :	DN 4109
Nominal Diameter:	DN 15 / 1/2"
Dynamic Pressure:	1,0—4,0 bar

FUNCTION: each time the flusher is operated, a steel pin cleans the pressure-balance bore of the flusher piston. This guarantees blockage free functioning.


Art.64017: NIL brand Urinal-Flusher with flush pipe, with wall rosette, with top press button.
Flush Volume: 3,0l.

Technical Data	
Hydraulic Norm :	DN 3265
Noise Level Norm :	DN 4109
Nominal Diameter:	DN 15 / 1/2"
Dynamic Pressure:	1,0—4,0 bar





Safety Valves



Art.67011: Nickel plated brass automatic air-vent with brass plug, heavy model, single packing.

Dimensions					
R	D	h	H	L	g
1/2"	40mm	52mm	73mm	50mm	200gm

Technical Data	
Max. Pressure	Max. Temp.
10 bar	110°C




Art.67010: Nickel plated brass automatic air-vent, angle type, with brass plug, heavy model, single packing.

Technical Data	
Max. Pressure	Max. Temp.
10 bar	110°C






Check Valves



A	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
B	44	52	62	72	80	93	116	134	164
PN	12	12	12	10	10	10	8	8	8

Art.69010
 pressed brass check valve with fibre cap gasket, for sanitary, hydro and heating applications. Female threading
Temperature : 0 to + 80°C Nominal Pressure: max. 12 bar




A	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
B	56	57	66	80	92	101	123
PN	16	16	16	16	16	16	16

Art.69011
 pressed brass check valve with oblique seat, with st. steel sieve for sanitary, hydro and heating applications. Female threading.
Temperature : 0 to + 100°C Nominal Pressure: max. 16 bar.




Check Valves



A	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
B	34,7	42,7	47,5	60,7	69,7	84,7	100	124	155
C	47	54	59	67	75	82	95,5	102	118
PN	12	12	12	10	10	10	8	8	8

Art.69015
 pressed brass check valve, with st. steel spring, suitable for sanitary and heating applications, suitable for Vertical/Horizontal installations. Female threading.
Temperature : 0 to + 80°C Nominal Pressure: max. 12 bar.




A	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
B	34,7	42,7	47,5	60,7	69,7	84,7	100	124	155
C	76	84,5	97	106	122	144	156	179	205
PN	10	10	10	8	8	8	6	6	6

Art.69017
 pressed brass foot valve, with st. steel spring and filter mesh, suitable for suction lift of water and oil. Female threading.
Temperature: 0 to + 80°C Nominal Pressure: max. 10 bar.




Bib Cocks



Dimensions		
Ge	H	L
1/2"	86	100




Art.68800
 chrome plated brass Bib cock with T-handle.
Max. Temperature: 120 °C Nominal Pressure : max. 16 bar.



Dimensions		
Ge	H	L
1/2"	116	107
3/4"	147	118
1"	147	130




Art.68900
 chrome plated brass bib cock, polished, with T-handle, with hose-union (1/2").
Max. Temperature: 120 °C Nominal Pressure: max. 16 bar.



Art.68910
 same as above but with upper part for key, with key (against vandalism and miss-use).



Bib Cocks




Art.698

chrome plated brass long shank bib cock of 150mm projection, with 1/2" head work, with 3 point crown handle, size: 1/2".

Art.698Z

same as above but made of zamak, with 1/2" or 3/8" head work.



Art.696

chrome plated brass short bib cock with 10cm long projection, with 1/2" brass head work, with 3 point crown handle, size: 1/2".

Art.697

same as above but with provided with brass aerator, size: 1/2".

Art.6910


n. p. brass ball valve bib cock with red aluminium handle, with hose connection.

Available in size: 1/2", 3/4", 1"





3-way-Valve



Art.63120
chrome plated brass 3-way valve with pull-knob.

DIMENSIONS				
Ge	Ga	H	L	D
3/4"	1/2"	65	81	30



almanit fittings

BRASS FITTINGS



Manufactured under strict germen standards of quality control



almanit export gmbh

Sanitary Fittings Made in Germany



Brass Fittings

Art.1513

Bib cock prolongation, annealed brass, manufactured according to DIN 3523, available raw or chrome plated (highly polished), male x female threading.

Available in the sizes:

3/8" x 3/8" (lengths: 10 to 100mm)

1/2" x 1/2" (lengths: 10 to 100mm)

3/4" x 3/4" (lengths: 10 to 100mm)

1" x 1" (lengths: 15 to 100mm)



Art.1521

All threaded Nipple, annealed brass, raw, male threading according to DIN 259.


Available in the sizes:

3/8" 1/2"

3/4" 1"

1.1/4" 1.1/2"

2"



Art.1522

Double Nipple with hexagonal nut, annealed brass, threading according to DIN 2999, available raw or chrome plated, male x male threading.

Available in the sizes:

3/8"	1/2"	3/4"	1"
1.1/4"	1.1/2"	2"	



Art.1531

Reducing Nipple with hexagonal nut, annealed brass, threading according to DIN 2999, available raw or chrome plated, male x female threading.


Available in the sizes:

(1/2" x 3/8") (3/4" x 3/8") (3/4" x 1/2")

(1" x 1/2") (1" x 3/4") (1.1/4" x 3/4")

(1.1/4" x 1") (1.1/2" x 1") (1.1/2" x 1.1/4")

(2" x 1") (2" x 1.1/4") (2" x 1.1/2")





Brass Fittings

Art.1523

Double Nipple with hexagonal nut, with 2 squeeze nuts, annealed brass, threading according to DIN 2999, chrome plated, male x male threading.

Available in the sizes:


- (3/8"x3/8"x10mm dim.)
- (1/2"x1/2"x10mm dim.)
- (1/2"x1/2"x12mm dim.)



Art.1541

Reducing Nipple with hexagonal nut, annealed brass, male threading according to DIN 2999, female threading according to DN 259, available raw or chrome plated. *Available in the sizes:*

- (1/2"x3/8") (3/4"x3/8") (3/4" x 1/2")
- (1" x 1/2") (1" x 3/4") (1.1/4" x 3/4")
- (1.1/4"x1") (1.1/2"x1") (1.1/2"x1.1/4")
- (2" x 1") (2"x1.1/4") (2" x 1.1/2")



Art.1525

Reducing Nipple with hexagonal nut, with squeeze nut, annealed brass, male threading according to DIN 2999, available raw or chrome plated.

Available in the sizes:

- (1/2"x3/8"x10mm dim.)
- (1/2"x1/2"x10mm dim.)
- (1/2"x1/2"x12mm dim.)




Art.1551

Sleeve, annealed brass, female threading according to DIN 259, available raw or chrome plated.

Available in the sizes:

- | | | | |
|--------|--------|------|----|
| 3/8" | 1/2" | 3/4" | 1" |
| 1.1/4" | 1.1/2" | 2" | |





Brass Fittings

Art.1542

Reduction piece, round, annealed brass, male x female, threading according to DIN 259, available raw or chrome plated (highly polished).

Available in the sizes:

(3/8" M x 1/2" F) (3/8" M x 3/4" F)
(1/2" M x 3/4" F) (1/2" M x 1" F)
(3/4" M x 1/2" F) (3/4" M x 1" F)




Art.1552

Reducing Sleeve, annealed brass, female threading according to DN 259, available raw or chrome plated.

Available in the sizes:

(1/2" x 3/8") (3/4" x 1/2")
(1" x 1/2") (1" x 3/4")
(1.1/4" x 1") (1.1/2" x 1.1/4")
(2" x 1.1/2")



Art.1612

Elbow, 90°, annealed brass, female threading according to DIN 259, available raw or chrome plated.

Available in the sizes:

3/8" 1/2" 3/4"
1" 1.1/4"



Art.1611

Elbow, 90°, annealed brass, male x male, threading according to DIN 259, available raw or chrome plated.

Available in the sizes:

3/8" 1/2" 3/4" 1"





Brass Fittings

Art.1613

Elbow, 90°, annealed brass, male x female, threading according to DIN 259, available raw or chrome plated (highly polished).

Available in the sizes:

(3/8" M x 3/8" F) (1/2" M x 1/2" F)
(3/4" M x 3/4" F) (1" M x 1" F)
(1.1/4" M x 1.1/4" F)



Art.1626

Reducing T-piece, annealed brass, female threading according to DN 259, available raw or chrome plated.

Available in the sizes:

(3/4" x 1/2")
(1" x 3/4")



Art.1622

Equal T-piece, annealed brass, female threading according to DIN 259, available raw or chrome plated.

Available in the sizes:

3/8" 1/2" 3/4"
1" 1.1/4"



Art.1751

Plug, annealed brass, female threading according to DIN 259, available raw or chrome plated.

Available in the sizes:

3/8" 1/2" 3/4" 1"
1.1/4" 1.1/2" 2"






Brass Fittings

Art.1527

Long Nipple, annealed brass, male x male, threading according to DIN 2999, available raw or chrome plated.

Available in the sizes:

(1/2" x 1/2"	: 40 to 200mm long)
(3/4" x 3/4"	: 40 to 200mm long)
(1" x 1"	: 40 to 200mm long)
(1.1/4" x 1.1/4"	: 60 to 200mm long)
(1.1/2" x 1.1/2"	: 60 to 200mm long)
(2" x 2"	: 60 to 200mm long)



Art.1614

Elbow, 45°, annealed brass, female threading according to DN 259, available raw or chrome plated.

Available in the sizes:

3/8"	1/2"
3/4"	1"



Art.1632

Cross, annealed brass, female threading according to DIN 259, available raw or chrome plated.

Available in the sizes:

3/8"	1/2"
3/4"	1"




Art.666

Connection union for water meters, annealed brass, with hexagonal nut and male threading, according to DIN 2999, available raw or chrome plated.

Available in the sizes:


1/2"	3/4"	1"
1.1/4"	1.1/2"	2"





almanit Traps & Wastes

TRAPS & WASTES




Manufactured under strict german standards of quality control

almanit export gmbh

Sanitary Fittings Made in Germany




Brass Bottle Traps




A	1.1/4"	1.1/2"
B	32	40
D	60	50



Art.7124
 chrome plated brass bottle trap with 120mm inlet tube, with 200mm outlet tube, with wall flange, with 50mm dim. cup. *Available Sizes: 1.1/4" and 1.1/2".*



Art.7124/7121
 same as above but provided with waste and plug. Can be supplied with or without chain. *Available Sizes: 1.1/4" and 1.1/2".*




A	1.1/4"
B	32



Art.7128
 chrome plated brass bidet bottle trap with 80mm inlet tube, with 200mm outlet tube, with wall flange, with 50mm dim. cup. *Available Size: 1.1/4".*




Brass Traps



Art.7125

chrome plated brass P-trap with 120mm inlet tube, with 200mm outlet tube, with wall flange.


Available Size: 1.1/4" x 32.



Art.71251

chrome plated brass bidet P-trap with 120mm inlet tube, with 200mm outlet tube, with wall flange.

Available Size: 1.1/4" x 32.




Art.792

chrome plated brass double sink connection, adjustable (distance up to 550mm).

Available Size: 1.1/2"x1/2"x1/2".




Brass Wastes



Art.7121

universal brass waste with st. steel plate, with screw 55mm long, with plug and chain.


Available Size: 1.1/4" x 65mm dim.



Art.7122a

universal brass waste with st. steel plate, with 75mm screw, with plug and chain

Available Size: 1.1/4" x 80mm dim. 1.1/2" x 80mm dim.





Art.70390

c.p. metal pop-up waste with screw-in waste with plug, with lever system.

Available Size: 1.1/4".





Plastic Bottle Traps





Art.7124P

white plastic bottle trap with 120mm inlet tube, with 200mm outlet tube, with wall flange, with 60mm dim. cup. *Available Sizes: 1.1/4" and 1.1/2".*



Art.7124P/7121P

same as above but provided with waste (65mm dim.), plug and chain (250mm). *Available Size: 1.1/4".*





Art.71240P

same as above but with combined waste, with plug and chain. *Size: 1.1/4".*




Plastic Traps




Art.7124P/7122aP

white plastic bottle trap with 120mm inlet tube, with 200mm outlet tube, with wall flange, with 60mm dim. cup. *Available Size: 1.1/2".*



Art.7124P/7122bP

same as above but provided with 85mm dim. waste, with plug and chain. *Available Size: 1.1/2".*





Art.7125P

white plastic P-trap with 200mm inlet tube, with 200mm outlet tube, with wall flange. *Available Sizes: 1.1/4" and 1.1/2".*





Plastic Traps



Art.71251PU

white plastic P-trap with 120mm inlet tube, with 200mm outlet tube, with wall flange.


Available Size: 1.1/2".



Art.71252PU

same as above but with hose connection, with wall flange.

Size: 1.1/2".




Art.792P

white plastic double sink connection, adjustable (distance up to 550mm).

Available Size: 1.1/2"x1/2"x1/2".




Plastic Wastes



Art.7121P

universal plastic waste with st. steel plate, with screw 55mm long, with plug and chain.

Available Size: 1.1/4" x 65mm dim.




Art.7122aP

universal plastic waste with st. steel plate, with 75mm screw, with plug & chain.

Available Sizes: 1.1/4" x 80mm dim.

1.1/2" x 80mm dim.




Art.7123P

plastic long waste for sinks, with st. steel plate, with plug and chain with stay.

Available Size: 1.1/2" x 70mm dim.




Plastic Wastes




Art.71215P

plastic waste with over-flow connection, with flexible (or rigid) connection hose, with plug and chain. *Available Size: 1.1/2" x 70mm dim.*



Art.71217P

plastic basket strainer waste with s. steel plate. *Size: 1.1/2" x 115mm dim.*




Art.70390

plastic pop-up waste with screw-in waste with plug, with lever system. *Available Size: 1.1/4"*




Over-Flow Wastes




Art.70101

Automatic Bath-Waste and Over-Flow with flexible copper connection pipe, with brass pop-up waste.
Available Size: 1.1/2".



Art.70100

Automatic Bath-Waste and Over-Flow, heavy model, with brass connection pipe, with brass pop-up waste.
Available Size: 1.1/2".




Art.71341

Bath-Waste and Over-Flow, with brass over-flow and brass pop-up waste, with plastic connection pipe (rigid or flexible).
Available Size: 1.1/2".




Over-Flow Wastes




Art.70101P

Automatic plastic Bath-Waste and Over-Flow with flexible plastic connection pipe, with plastic pop-up waste. Available Size: 1.1/2\"



Art.70100P

Automatic plastic Bath-Waste and Over-Flow, heavy model, with plastic connection pipe, with plastic pop-up waste. Available Size: 1.1/2\"




Art.71340P

plastic Bath-Waste and Over-Flow, with plastic over-flow and plastic pop-up waste, with plastic connection pipe (rigid or flexible). Available Size: 1.1/2\"




Brass Bath Traps




Art.70325

brass bath trap with cap and lining.
Available Size: 1.1/2"x 38mm dim.



Art.7133

cast brass bath trap with or with lining.
Available Size: 1.1/2"x 38mm dim.




Art.71202

brass cap and elbow with washer.
Available Size: 1.1/2"x 38mm dim.




Plastic Bath Traps



Art.7363P

plastic bath trap with cap and lining.


Available Size: 1.1/2"x 1.1/2".



Art.7133P

plastic bath trap with or without tailpiece.

Available Sizes: 1.1/2"x 40mm dim. & 1.1/2"x 50mm dim.




Art.7133'P

plastic shower trap with or without nut and washer.

Available Size: 1.1/2"x 40mm dim.




St. Steel floor Drains



Art.7000 A

Stainless steel drain waste cover (strainer), AISI 304 grade A material, highly polished, each piece consisting of 3 parts: frame, grid and lid.

Size: 200 x 200mm Outlet: 115mm dim. Weight: abt.950gm.



Art.7000 B

Stainless steel drain waste cover (strainer), AISI 304 grade A material, highly polished, each piece consisting of 3 parts: frame, seal rubber and a lid fixed with st. steel screws on the frame.

Size: 200 x 200mm Outlet: 115mm dim. Weight: abt.900gm



almanit traps and wastes

Flap Traps



NEW PATENT






Art.7050 **Drain Flap Trap**

- * Anti-insect: prevents cockroach/insects from entering through the drainage pipe. It makes it also difficult for rats and other small animals to enter the premises.
- * Anti-Odder: decreases the bad smell coming from the drainage pipes.
- * Anti-Backflow: helps to minimize/prevent backwater if / when pipes are blocked.
- * possible to install on existing and/or new pipe lines.
- * can be dismantled or replaced at any time in case of need.
- * easy to clean.
- * designed so that it opens at minimum water flow.
- * size: made to fit drainage pipes of 4" diameter.

Sanitary Fittings Made in Germany





Flush Pipes



Art.4601

chrome plated brass flush pipe for high mounted cisterns, with bordered end for cistern connection, made of 2 pieces: bended pipe 1200x200mm (32x30mm dim.) + Elbow (200x200mm) with bend of about 65mm.



Art.64002


chrome plated brass flush pipe for WC-flush valve, 32x30mm dim., available in the lengths: 90, 100 and 120cm, with 200mm elbow length.

Art.64003

Same as above but bended model, 28x26mm dim, with 200mm elbow length.





Siphon Pipes



Art.71246

chrome plated brass siphon pipe, reduced model, 1.1/2"x1.1/4" (32mm dim.), with nut and washer.

Available Lengths: 25, 30, 35, 40 and 50cm.



Art.71245

chrome plated brass siphon pipe with nut and washer:

Available Sizes : 1.1/4" x 32mm dim.

1.1/2" x 40mm dim.

Available Lengths : 25, 30, 35, 40 and 50cm.



WC-Connectors

Art.73806

wc-connector for eccentric connections, stright, black rubber.



Art.73804

white wc-connector for eccentric connections, stright, Made in UK.



Art.73805

white wc-connector for eccentric connections, 40mm displaced, Made in UK.





almanit Bath Fittings & Accessories

WC-FITTINGS



Manufactured under strict german standards of quality control

almanit export gmbh

Sanitary Fittings Made in Germany



Cistern Flush Valves

Art.9200:

Universal plastic flush valve for ceramic cisterns with dual-control push button. The big part of the button is used for a complete flush, the small part of the button is for a half-flush is needed.

Art.9205:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9207:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	2,1 l/sec.
Inlet rate at 3 bar	11 l/min.
Overflow rate	22 l/min.
Noise	12 DBA
Cistern dimensions	min.31 max.45
Cover hole	min.18 max.40



Art.9300:

Universal brass flush valve for ceramic cisterns with pneumatic push control.

Art.9305:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9307:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	1,8 l/sec.
Inlet rate at 3 bar	11 l/min.
Overflow rate	14 l/min.
Noise	12 DBA
High overflow	min.220mm max.330mm





Cistern Flush Valves

Art.9400:

Universal brass flush valve for ceramic cisterns with pneumatic push control.

Art.9405:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9407:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	1,8 l/sec.
Inlet rate at 3 bar	7,5 l/min.
Overflow rate	14 l/min.
High overflow	min.220mm max.330mm



Art.9500:

Universal brass flush valve for ceramic cisterns with pneumatic push control.

Art.9505:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9507:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	2,0 l/sec.
Inlet rate at 3 bar	11 l/min.
Overflow rate	14 l/min.
Noise	12 DBA
High overflow	min.220mm max.330mm





Cistern Flush Valves

Art.9600:

Universal brass flush valve for ceramic cisterns with pneumatic push control.

Art.9605:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9607:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	2,0 l/sec.
Inlet rate at 3 bar	7,5 l/min.
Overflow rate	14 l/min.
High overflow	min.220mm max.330mm



Art.9700:

Universal plastic flush valve for ceramic cisterns with pneumatic push control.

Art.9705:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9707:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	2,0 l/sec.
Inlet rate at 3 bar	7,5 l/min.
Overflow rate	14 l/min.
High overflow	min.220mm max.330mm





Cistern Flush Valves

Art.9800:

Universal plastic flush valve for ceramic cisterns with pneumatic push control.

Art.9805:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9807:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	1,8 l/sec.
Inlet rate at 3 bar	7,5 l/min.
Overflow rate	14 l/min.
High overflow	min.220mm max.330mm

**Art.9900:**

Universal brass flush valve for ceramic cisterns with pneumatic push control.

Art.9905:

same as above but with monobloc kit including universal rubber washer and fixing screws.

Art.9907:

same as above but with monobloc kit and a float valve with brass connection (3/8").

Technical information:

Outlet rate	2,0 l/sec.
Inlet rate at 3 bar	7,5 l/min.
Overflow rate	14 l/min.
High overflow	min.220mm max.330mm





High Cistern Valves

Art.9100:

High level cistern flush valve with built-in push button and copper connection pipe.

Art.9105:

same as above but without push button, without copper pipe.

Art.9107:

same as above but with high float valve.



Art.9150:

Plastic high level cistern flush valve with built-in push button & copper connection pipe.

Art.9155:

same as above but with chrome plate push button.

Art.9157:

same as above but with high float valve.



Art.9170:

Plastic high level cistern flush valve with pull chain, with white pull-handle.

Art.9175:

same as above but with chrome plate pull-handle.

Art.9177:

same as above but with high float valve.





Cistern Flush Valves

Art.9020:

Universal plastic flush valve for ceramic cisterns with dual-control push button. The big part of the button is used for a complete flush, the small part of the button is for a half-flush is needed, with monobloc kit and a float valve with connection (3/8").

Technical information:

Outlet rate	2,1 l/sec.
Inlet rate at 3 bar	11 l/min.
Overflow rate	22 l/min.
Noise	12 DBA
Cistern dimensions	min.31 max.45
Cover hole	min.18 max.40



Art.9209:

Universal plastic flush valve for ceramic cisterns with dual-control push button. The big part of the button is used for a complete flush, the small part of the button is for a half-flush is needed, with monobloc kit and a float valve with bottom connection (3/8").

Technical information:

Outlet rate	2,1 l/sec.
Inlet rate at 3 bar	11 l/min.
Overflow rate	22 l/min.
Noise	12 DBA
Cistern dimensions	min.31 max.45
Cover hole	min.18 max.40





Cistern Float Valves

Art.9202:

Compact float hydraulic close system, suitable for replacement on plastic or ceramic, external or built in cistern. Size space only mm 75, silent and easy to assembly, fast close, brass connection in size: 3/8" or 1/2", with side water inlet.

Art.9210:

Same as above but with bottom water inlet.

Technical information:

Inlet rate at 3 bar	11 l/min.
Noise	12 DBA
Pressure	0,5/16 ATM



Art.9402:

Brass high float with adjustable arm, silent and easy to assembly, fast close, with brass connection in size: 3/8" or 1/2", with side water inlet.

Art.9603:

Same as above but with bottom water inlet.



Plastic WC-Cisterns

Art.7100:

Complete cistern made in plastic with on cover push button complete with automatic float valve, with plastic elbow pipe 50x40, with rubber and fixing system, 12 litres capacity, size 44x38x15.

Art.7150:

Same as above but in colour.

**Art.7200:**

Complete cistern made in plastic with on cover push button complete with automatic float valve, with elbow pipe 50x40, with rubber and fixing system, 10 litres capacity, size 31.5x44x12.

Art.7250:

Same as above but in colour.

**Art.7300:**

High cistern made in plastic pull model complete with flush valve and automatic float valve, with or without cover, dimension 39x17x33, capacity 12 litres.


Art.7350:

Same as above but in colour.






Concealed Cisterns



Art.60100:

Concealed cistern, capacity 9 litres, with interruptor system, with white or chrome plated activating plate complete with all accessories into a box. Cistern include also:

- white plate
- pipe polystyrene
- connect pipe to wc
- corner tap 1/2
- float valve.



Art.60500:

Concealed cistern , self supporting for hanging wc, capacity 9 litres, with interruptor system, with white or chrome plated activating plate, complete with all accessories into a box. The cistern is supplied with:

- + zinc iron support
- + fixing system
- + inlet pipe
- + inlet connect pipe to wc
- + corner tap 1/2
- + automatic floate valve.





almanit water meters

WATER METERS



Multi-Jet Super dry Water Meter:

- **Nominal flow rate Q_n 1,5 ...10.**
- **Dry-dial meter, suitable for water of less than optimum quality.**
- **Register cup incentive to pressure and diffusion.**
- **Metering insert protected against deposits and soiling.**
- **Fit for use all over the world.**
- **Cold water up to 50°C.**

almanit export gmbh

Sanitary Fittings Made in Germany



NSO-Water Meters

ALMANIT Multi-jet Super dry water meter with five nominal sizes and eight overall lengths.


The NSO Super dry Water meter series includes:

1. NSO dry-dial meter.
2. NSO-KG pulse-type register.
3. NSO-H warm water meter.

It's the water quality that is crucial:

Wherever impurities are anticipated in the water, our ALMANIT super dry is the right

choice. Not only thanks to its waterproof register. The measuring chamber's design ensures good flow characteristics and prevents deposits. Also there is an effective finger strainer inside the inlet fitting (easy to replace as well).



Conveniently standardized dimensions:

Just one single head for all meters from Qn 1,5 to 10: this means replace ability from the body head with the slip ring to the glass and the gasket. The metering inserts, too, are externally identical, with a standardized diameter at the register and its cup.

It's what's inside that counts:

Our dry-dial meters excel in terms of dependable precision assured by continual testing and stringent quality control. The class B specifications are confirmed by appropriate calibration or certification from our state-recognized testing office.



***NSO ALMANIT Dry-dial Water meters for cold water up to 50°C.**

***NSO-H: for horizontal installation. Approval class B, horizontal.**

***NSO-S: riser installation. Approval class B, horizontal; riser body.**

***Display capacity 99 999m³ or in Imperial Gallons.**


Main Technical Features:

- x Easy-grip, four-pole, hard-ferrite magnetic coupling.
- x Register cup insensitive to pressure and diffusion.
- x Wear proof, low-friction sapphire bearings.
- x Permanently elastic, long-lasting o-ring seal.
- x The glass is scratch-resistant and absolutely clear.
- x Confirms to at least the EEC directives and ISO 4064 Class B for cold water.
- x Can be briefly overloaded by 20%.
- x Continuous loadings of approx. 1,4xQn or briefly as much as 1,2xQmax are handled with ease.



NSO-Water Meters


ALMANIT SUPER DRY NSO/NSO-S							
Nominal flow rate	Q _n m ³ /h		1,5	1,5	2,5	3,5	3,5
Nominal Size	DN mm		15	15	20	20	25
	DN inch.		1/2"	3/4"	3/4"	3/4"	1"
D1 Meter connection thread	ISO228/1 inches		G 3/4 B	G 1 B	G 1 B	G 1 B	G11/4B
D2 Connection pipe thread	ISO 7/1 inches		R1/2"	R3/4"	R3/4"	R3/4"	R1"
CLASS B							
Max. flow rate	Q _{max} m ³ /h		3	3	5	7	7
Transitional flow rate	Q _t t/h		120	120	200	280	280
Min. flow rate							
• Required	Q _{min} l/h		30	30	50	70	70
			25	25	35	35	35
Continuous load	ca.1,4 x Q _n l/h		2100	2100	3500	4900	4900
Temperature	T _{max} °C		50	50	50	50	50
Pressure rating	PN		16	16	16	16	16
Flow capacity	at 1 bar pressure loss m ³ h		4,4/4,7	4,4/4,7	6,7	7,2	7,2
ALMANIT SUPERDRY NSO			2002	2002	2002	2002	2002
L1 Meter length	Standard	mm	165	190	190	220	260
	Option	mm	145/170/190	165	165/220	-	175
L2 Connector length		mm	40	50	50	50	60
B Width		mm	100	100	100	100	100
H1 Coverline height		mm	31	31	31	31	31
H2 Overall height		mm	115	115	115	115	115
Weight		Kg	1,6	1,7	1,7	1,7	2,2
ALMANIT SUPERDRY NSO-S				2002	2002		2002
L1 Meter length	Standard	mm	-	105	105	-	150
L2 Connector length		mm	-	50	50	-	50
B1 Width		mm	-	100	100	-	100
B2 Clearance	pipe axis to meter axis	mm	-	80	80	-	94
H1 Distance to meter bottom		mm	-	22	22	-	28
H2 Overall height		mm	-	135	135	-	151
Weight		Kg	-	1,8	1,8	-	2,6






NSO-Water Meters

ALMANIT SUPER DRY NSO/NSO-S					
Nominal flow rate	Qn m ³ /h		6	6	10
Nominal Size	DN mm		25	32	40
	DN inch.		1"	1 1/4"	1 1/2"
D1 Meter connection thread	ISO228/1 inches		G11/4B	G11/2B	G 1 B
D2 Connection pipe thread	ISO 7/1 inches		R1"	R1 1/4"	R1 1/2"
CLASS B					
Max. flow rate	Qmax m ³ /h		12	12	20
Transitional flow rate	Qt t/h		480	480	800
Min. flow rate	Qmin l/h		120	120	200
		• Required	60	60	120
Continuous load	ca.1,4 x Qn l/h		8400	8400	14000
Temperature	Tmax °C		50	50	50
Pressure rating	PN		16	16	16
Flow capacity	at 1 bar pressure loss m ³ /h		12,8	12,8	22
ALMANIT SUPERDRY NSO			2002	2002	2002
L1 Meter length	Standard	mm	260	190	190
	Option	mm	-	-	-
L2 Connector length		mm	60	60	70
B Width		mm	100	100	100
H1 Coverline height		mm	43	43	46
H2 Overall height		mm	130	130	153
Weight		Kg	2,7	2,7	4,0
ALMANIT SUPERDRY NSO-S			2002		2002
L1 Meter length	Standard	mm	150	-	200
L2 Connector length		mm	60	-	70
B1 Width		mm	100	-	100
B2 Clearance	pipe axis to meter axis	mm	94	-	105
H1 Distance to meter bottom		mm	32	-	51
H2 Overall height		mm	147	-	175
Weight		Kg	2,6	-	5,5





NSO-Water Meters



How to best handle the *ALMANIT* Super dry NSO-Water meter:

Operating Temperature:

Cold water meters, approved for Tmax 30°C, can be used in applications not involving statutory calibration requirements, for operating temperatures of up to 50°C. But they must not be used for either warm or hot water.

Transport and Storage:

Do not drop or bump the water meters. Any damage will mean inaccurate metering. To avoid soiling your meters, take them to the place of installation in their original packing, or at least use thread protection caps.

Installation:

Give new or modified piping a thorough rinse-out at as high a pressure as possible. Fit adapters in place of the meters. Make sure the direction of flow is correct by checking the arrows on the meters. The metering points must be chosen to ensure that the meters are always completely filled with water. Make sure that all the

Materials used for the installation job are suitable for drinking water.

Conversely, shutoff valves must be installed. Upstream and downstream of the meter. A drain cock is advisable. The valve downstream of the meter should be fitted with a non-return valve.

Calibration validity and maintenance:

Water meters used or provided in business transactions must be calibrated and/or certified.


Conform to the EEC guidelines, the duration of calibration validity is 6 years for cold water meters.

Depending on the water quality and operating conditions involved, however, a shorter interval may be necessary.




NSO-Water Meters

EEC/ISO standard for cold water meters



Head loss curve




almanit export gmbh
 Wartenau 7
 22089 Hamburg
 Germany
 Tel: 0049 40 2513347
 Fax: 0049 40 2513681
 eMail: info@almanit.de



almanit Hardwares

BUILDING MATERIALS



Manufactured under strict german standards of quality control


almanit export gmbh

Sanitary Fittings Made in Germany




almanit building materials

Screw Sets



Art.2550
Boiler Screw Set consisting of:
 + 2 pcs L-Screw 10x95mm + 2 pcs wall plugs (in beige or orange color)



Art.2553
Washbasin Screw Set consisting of:
 + 2 pcs Stud-Screw 10x120mm + 2 pcs Hexagonal Nuts
 + 2 pcs wall plugs (beige or orange color) + 2 pcs plastic squeeze washers





Art.2555
Washbasin / WC Screw Set consisting of:
 + 2 pcs Stud-Screw 6x82mm + 2 pcs Hexagonal Nuts
 + 2 pcs wall plugs (beige or orange color) + 2 pcs plastic squeeze washers



almanit building materials

“OBO” Pipe Clips




Type 101/U
„OBO BETTERMANN“ Galvanized pipe clips with nail shaft.

Art. No.	Size	A (mm)	B (mm)	C (mm)	D (mm)	X (mm)	L (mm)	Q (mm)
1212354	3/8"	52	36	11,75	18,50	3	80	5
1212362	1/2"	56	40	14	22	2	80	5
1212389	3/4"	62	46	17	28	3	80	5
1212397	1"	70	54	20,75	35	2,5	80	5
1212400	1.1/4"	79	63	24,75	43	2,5	80	5
1212419	1.1/2"	85	69	27	49	4	90	6
1212435	2"	97	81	32,5	61	5	90	6
1212478	2.1/2"	116	100	42,25	80	4,5	90	6
1212486	3"	125	109	45,5	89	7	90	6
1212524	4"	155	139	58	115	9	120	8
1212559	5"	181	163	70	140	10	120	8
1212583	6"	206	188	82,50	165	10	120	8



almanit building materials

“OBO” Pipe Clips








Type 101/UG
 „OBO BETTERMANN“ Galvanized pipe clips with Hexagonal M8 / M10 nut for ceiling mounted pipe lines.

Art. No.	Size	A (mm)	B (mm)	C (mm)	d (mm)	X (mm)
1212656	1/2"	56	40	12	22	2
1212699	3/4"	62	46	14,5	28	3
1212702	1"	70	54	18,25	35	2,5
1212710	1.1/4"	79	63	22,25	43	2,5
1212729	1.1/2"	85	69	24,5	49	4
1212745	2"	97	81	30	61	5
1212788	2.1/2"	116	100	39,75	80	4,5
1212796	3"	125	109	43	89	7
1212842	4"	155	139	55,5	115	9
1212907	6"	206	188	80	165	10



almanit sealing materials


Silicone Sealant



Made in Germany



**GERMANIT
ARMATUREN
SILICONE**



**ALMANIT
SILICONE
DIN 18545 E**

CHARACTERISTICS AND USES:

- + A ready to use one component silicone sealant packed in cartridge.
- + Product is a highly adhesive paste applied by means of a gun for sealants.
- + Product hardens for exposure to the air forming a superficial skin after about **10 minutes**, then it slowly changes into an elastic gummy product.
- + Product is **PERMANENTLY ELASTIC** and of excellent aging resistance.
- + Product can be used for sealing and bonding tiles, sanitary fittings, glass, pipes, plastic materials, aluminum and wood windows and door frames.
- + Product is **FUNGUS RESISTANT**.
- + **ALMANIT Silicone** is manufactured according to **DIN 18545 E**.
- + Product is available in different sanitary colors.
- + Product is available in **280ml** and **310ml** cartridges.



almanit sealing materials

PTFE Tape



ALMANIT tape is a non-hardened moldable dry PTFE thread sealant tape manufactured to DIN 30660 and BS 7786 1995 Grade L. It has a very high density which results in more PTFE per inch of length. It is one of the highest quality PTFE tape available and, as it usually requires only one layer to effect a seal, thus resulting in savings for the user.

The remarkable properties of polytetrafluoroethylene (PTFE) are well known, notably its low coefficient of friction, non stick surface characteristic, wide working temperature range from -200°C to $+250^{\circ}\text{C}$, excellent weathering resistance and corrosion resistance. It ensures the sealing properties also with lubricants, benzenes, alcohols and liquid oxygen. Due to the fact that PTFE is not toxic, it can be used in the food industries.

The PTFE material is extruded and not sintered, this results in an expanded network composed of superfine fibers and joints. The combination of flexibility, high longitudinal strength and easy deformability in the transverse direction, makes PTFE extruded tape very suitable for packing sealing applications. The tape is available in different sizes and specifications to cover a wide range of applications.

Available Sizes

Thickness (mm)	0,075 ($\pm 0,015$) or 0,1 ($\pm 0,02$)
Width (mm)	12, 13, 18, 24, 26 and 52 ($\pm 0,5$)
Length (m)	8, 10, 12, 20 and 50

Technical Data

Apparent Density (gr/mt ²)	30
Longitudinal Elongation	30%
Transversal Elongation	800%
Tensile Strength (Mpa)	120
Transversal Strength (Mpa)	0,15
Residual Lubricant Content	0,01%




almanit sealing materials

Mazzoni & Fermit

Art.12530:

First class Mazzoni Hemp in 200gm bundles. One of the oldest natural sealing materials, known and appreciated by most plumbing professionals all over the world.

Used in a wide range of applications, for gas, water and steam pipe lines.



Art.12600:

Fermit Special is a non-toxic installation filler, pliable, salve, light gray, not draying up, for sealing of threads, surfaces, ...etc. on water and heating installations.

Available in:

- 70gr. Tube*
- 500gr. Tin*
- 1000gr. Tin*



Art.12605:

High-pressure Fermit is a non-toxic sealing filler, brown (up to 200°C) or black (up to 280°C) salve, resistant to heat and high pressure, non draying up, for sealing of threads, flanges and surfaces of high-pressure plants, turbine casings, ...etc.

Available in:

500gr. Tin and 1000gr. Tin.



Art.12607:

Neo Fermit Special is a non-toxic sealing paste, especially for natural gas, non shrinking, non draying up, for sealing of threads of gas, water and heating installations.

Available in:

150gr., 375gr., 400gr. and 800gr. Tubes




Unaffected by temperatures ranging from -20°C to +135°C.



almanit Insulation materials

Isofit Tubes



Art.13000:

ISOFIT insulation tubes for insulating sanitary and heating pip-lines is made of an extremely tear-resistant material with excellent gliding properties.

Range of Application: cold water mains, hot water conduits and drain channels.

Characteristics:

- Reduces plumbing and clicking noise, and sound conducted through solids.
- Prevents from corrosion and perspiration water.
- Does not absorb moisture.
- Most easily to install due to excellent gliding properties.
- Extremely tear-resistant.
- Applicable in temperature ranges from -80°C to $+100^{\circ}\text{C}$.
- Insulation of sound conducted through solids meets/exceeds DIN 4105 standards.
- Incendiary behavior B" according to DIN 4102.

Available sizes:

- For Sanitary and Heating pipes: 15-48cm dim.
- For Drain Channels: 40-125cm dim.
- In Rolls of 10 meter long.

Material and Manufacture:

ISOFIT is manufactured of physically-cross-linked, closed cellular polyethylene with biaxial-cross-linked HDPE outer skin externally, and a special gliding foil internally.



almanit building materials

PVC Solvent Cement



Art.12770:

GRIFFON UNI-100GT is a gap-filling solvent cement for cementing PVC pipes and fittings. It can be used for pressure and drainage systems. Tolerances: gap 0,8mm max/press fit 0,2mm max. GRIFFON UNI-100GT meets KIWA (NEN 7106) requirements. It can be used also at tropical Temperatures.

TECHNICAL DATA:

BASE	: solution of PVC in a solvent mixture containing Tetrahydrofuran and cyclohexanon.
DENSITY	: 0,99 g/ml.
VISCOSITY	: thixotropic 1000—3000 mPa's
SOLIDS	: ca. 23%
CONSUMPTION	: 500 - 700 g/m ²
SHELF TIME	: 12 months after date of production if container kept tightly closed and stored between 5 and 40°C.

PROPERTIES OF THE SOLVENT CEMENT JOINT:

The dried joint is resistant to a temperature of 80°C, and can temporarily resist temperatures of up to 95°C. The solvent cement joint is waterproof. Particularly for inorganic acids, the chemical resistance of the solvent cement joint is dependent on the gap width, drying time, applied pressure, temperature of the medium, type of acid and its concentration. The solvent cement joint must be considered to have a limited resistance to concentrated inorganic acids. In general, it can be stated that the dry solvent cement joint has the same characteristics as the PVC material itself.

PACKING:

Available in Tins with screw lid and brush in the sizes: 250ml, 500ml and 1000ml.



almanit building materials

PVC Solvent Cement



Art.12773:

GRIFFON G-79 is a solvent cement for cementing PVC pipes and fittings. It can be used for drainage systems. Tolerances: gap 0,3mm max/press fit 0,2mm max. GRIFFON G-79 can be used also at tropical Temperatures.

TECHNICAL DATA:

BASE	: solution of PVC in a solvent mixture
DENSITY	: 0,97 g/ml.
VISCOSITY	: 1200—2000 mPa·s
SOLIDS	: ± 26,5%
CONSUMPTION	: ± 500 - 750 g/m ²
SHELVE TIME	: 12 months after date of production if container kept tightly closed and stored between 5 and 35°C.

PROPERTIES OF THE SOLVENT CEMENT JOINT:

The dried joint is resistant to a temperature of 60°C, and can temporarily resist temperatures of up to 75°C. The solvent cement joint is waterproof. Particularly for inorganic acids, the chemical resistance of the solvent cement joint is dependent on the gap width, drying time, applied pressure, temperature of the medium, type of acid and its concentration. The solvent cement joint must be considered to have a limited resistance to concentrated inorganic acids. In general, it can be stated that the dry solvent cement joint has the same characteristics as the PVC material itself.

PACKING:

Available in Tins with screw lid and brush in the sizes: 250ml, 500ml and 1000ml.

Terms and conditions of Sale

1) General:

- a. These conditions override any Conditions stipulated by the Buyer unless they are expressly accepted by the seller in writing. No variation of any these Conditions bind the Seller unless expressly accepted by the Seller in writing.
- b. The placing of an order with the Seller is deemed to be an acceptance of these conditions by the Buyer.
- c. These Conditions supersede any earlier sets of Conditions appearing in the Seller's catalogues or elsewhere and any conditions referred to in any negotiation unless expressly agreed by the Seller in writing.

2) Quotations:

- a. Quotations for the supply of the Seller's labour or services or goods supplied/manufactured by the Seller are valid for 28 days from the date of quotation. Quotations for goods manufactured by other suppliers are sold subject to prices ruling at the date of despatch to the Seller and may be increased and decreased accordingly.
- b. Quotations may be withdrawn or varied by the Seller within the 28 day period by written or oral notice at any time before acceptance by the Buyer.
- c. Prices included in quotations are applicable only if an order is placed covering the whole quotation; if an order is placed for only part of the quotation the Seller reserves the right to re-quote.

3) PRICE:

- a. Prices charged are those ruling at the date of despatch to the Buyer and are subject to V.A.T. and any other government duty or tax applicable unless otherwise stated in writing by the Seller.
- b. In the event of any alteration being required by the Buyer in design specifications or quantity the Seller is entitled to vary the price.

4) PAYMENT:

- a. Unless otherwise previously agreed in writing payment is to be against an irrevocable LC, payable at sight and confirmed by a German Bank.
- b. The Seller is entitled to suspend manufacture or delivery or to cancel any order for a Buyer whose account is overdue.
- c. Without prejudice to Condition 10 hereof, the goods remain the Seller's property until the price has been paid in full (each order being considered as a whole) or until re-sale, in which case the Seller's beneficial interest shall attach to the proceeds of re-sale or to the claim for such proceeds. A cheque given by or in behalf of the Buyer in payment is not treated as a discharge until it has cleared.
- d. Notwithstanding the above Conditions the Seller reserves the right to stop credit at any time and to call for immediate full payment for the goods delivered or work done.

5) DELIVERY:

- a. The time of delivery shall not commence until the later of either the date of the Seller's confirmation of an order or the receipt by the Seller of all necessary information to enable the Seller to proceed with the order.
- b. Any time or date of delivery named by the Seller is intended as an estimate only and is not the essence of the contract.
- c. If any cause outside the Seller's control or any labour dispute or any unforeseen contingency (whether in the Seller's premises or elsewhere) render it impracticable for the Seller to execute any order or to deliver within a reasonable time the Seller reserves the right to cancel the order.
- d. The Seller shall not be liable for any loss or damage whether direct indirect or consequential to any property caused by or arising out of or connected with any delay in the delivery or failure to execute an order or to deliver the goods ordered or any cancellation of the contract pursuant to sub clause (c) hereof.
- e. The Seller will endeavour to comply with any reasonable requests by the Buyer for the postponement of delivery but shall be under no obligation to do so. Where delivery is postponed at the Buyer's request the Buyer shall pay all costs and expenses including a reasonable charge for storage and transportation occasioned thereby.

6) NEW GOODS:

If goods to be supplied by the Seller are new, the following provisions shall effect:

- a. These Conditions and the delivery of the goods shall be subject to any terms and Conditions which the manufacturer or concessionaire may from time to time lawfully attach to the supply of the goods or the re-sale of such goods by the Seller. The Seller shall not be liable for any failure to deliver the goods occasioned by his inability to obtain them from the manufacturer or concessionaire or by his compliance with such terms and Conditions. A copy of the terms and Conditions currently attached by the manufacturer or concessionaire may be inspected at the Seller's office.
- b. The Seller undertakes that he will ensure the pre-delivery work specified by the manufacturer or concessionaire is performed and that he will use his best endeavours to obtain for the Buyer from the manufacturer or concessionaire the benefit of any warranty or guarantee given by him to the Seller or to the Buyer in respect of the goods.
- c. In the event of the manufacturer of the goods described in the order ceasing to make goods of that type, the Seller may (whether the estimated delivery date has arrived or not) by notice in writing to the Buyer cancel the contract.
- d. If the contract is cancelled under the provisions of this condition, the deposit (if any) shall be returned to the Buyer and the Seller shall be under no further liability.

7) Merchantability and Fitness for Purpose:

- a. The Buyer assumes the entire responsibility for the goods being suitable for his or any particular purpose and no terms may be implied herein as to their suitability for any particular purpose.
- b. In the event of any goods not being of merchantable quality on leaving the Seller's premises, the Seller will, at its option, either replace the same or give credit at invoice value. Beyond this the Seller accepts no liability whatsoever for any defects in the goods rendering the same unmerchantable. Without limiting the foregoing, the Seller will not in any circumstances be liable for any claim whatsoever for any labour, transport or other expenses incurred by the Buyer in such replacement or for the loss of profit arising out of or in connection with any loss of damage of property whether arising from defects, failure to comply with specifications or otherwise howsoever.
- c. Goods replaced shall become the Seller's property.
- d. The terms of this Condition are in Lieu of all Conditions, warranties and other terms as to description, fitness for purpose, condition, merchantability, quality or otherwise in respect of the goods whether expressed in the contract or implied by the common law, statute, trade, usage or custom and notwithstanding such purpose may be, may have become or may have been known to the Seller.

8) GUARANTEES:

If any goods supplied by the Seller or any part thereof are found to be of defective workmanship or material so as to entitle the Seller to have them replaced or repaired by the manufacturer, the Seller undertakes to do so. Provided, however, that the Seller shall not be liable for any claims whatsoever for any transport, labour or other costs and expenses incurred by the Buyer in such replacement or repairs which are not recoverable from the manufacturer and where such costs and expenses are incurred by the Seller, the buyer will repay to the Seller such costs and expenses as are not recoverable from the manufacturer and provided also that if owing to the failure of the Buyer to comply with any terms imposed by the manufacturer, the manufacturer is not bound to replace or repair, the Seller shall be under no liability to the Buyer.

9) Shortages and Defects Apparent on Inspection:

- a. The Buyer shall have no rights or claim for shortages or defects apparent on inspection unless (i) the Buyer inspects the goods immediately on arrival at its premises and (ii) a written complaint (otherwise than by a qualified signature on the delivery note) is made to the Seller within 7 days of receipt of goods and (iii) the Seller is given an opportunity to inspect the goods and investigate any complaints before any use is made of the goods. If the claim is not made to the Seller as is provided by this Condition then the goods shall be deemed to be in all respects in accordance with these Conditions and the Buyer shall be bound to these Conditions and the Buyer shall be bound to pay for the same accordingly.
- b. Clerical errors are subject to correction, claims for errors must be made within 7 days of receipt of the goods.

10) RETURNS:

Unless there is prior written agreement, items returned will not be accepted for credit.

11) RISK AND TITLE:

- a. Where goods are collected by or on behalf of the Buyer from the Seller's premises, the goods are at the sole risk of the Buyer from the time when the goods are loaded.
- b. Where the Seller delivers the goods at the Buyer's premises or at some place which he directs, the goods are at the sole risk of the Buyer from the time of delivery at the premises or place aforesaid.
- c. Where the goods are delivered by the Seller or Seller's agent to a carrier, the goods are at the sole risk of the Buyer from the time of delivery to the carrier.

12) INSOLVENCY:

If the Buyer shall make default in or commit any breach of his obligations or being an individual or partnership commit any act of bankruptcy or have a receiving order made or being a limited company, goes into liquidation (otherwise than as solvent company for the purpose of reconstruction or amalgamation) or having a petition for winding up filed against it or have a Receiver or Manager of the whole or any part of its undertaking, property or assets appointed or enters into a composition with or for the benefit of his creditors or have any execution or distress levied on his goods or property, the Seller shall have the right with to determine any contract then subsisting between the Buyer and the Seller (without prejudice to any claim or right which the Seller might otherwise make or exercise) and neither the Buyer nor any other person shall have the right to recover compensation or damages from the Seller by reason of such determination.

13) CANCELLATION AND ALTERATION OF ORDERS:

Orders can not be cancelled or altered except with the written consent of the Seller and on terms which indemnify the Seller against all loss and expenses.

14) CARRIAGE AND PACKING:

An extra charge will be made on small orders or any special or express delivery requirements by the Buyer. Cases or other special packing and containers will be charged separately and are due for payment in accordance with the conditions as to payment herein. A credit or refund will subsequently be allowed for cases and other containers returned to the Seller's premises carriage paid and in good condition less cost of return carriage to the manufacturer.

15) REPRESENTATION:

If any statement or representation has been made to the Buyer other than in documents enclosed with the Seller's quotation, upon which the Buyer relies, the Buyer must set out the statement or representation in a document to be attached to or endorsed on the order in which case the seller may clarify the point and submit a new quotation.

16) SPECIFICATION PATTERN OR DESIGN:

- a. Where goods are made to the Buyer's specification pattern or design, the Buyer is deemed to undertake to indemnify the Seller against any loss, damages or expenses which the Seller may incur (whether in respect of any proceedings or otherwise) by reason of any infringement of any Patent or Registered Design in any Country.
- b. In the cast of goods made specially or to the Buyers pattern, the Seller reserves the right to supply 5% more or less than the quantity ordered and the Seller will adjust its charges pro rata accordingly. Once manufacture of such special goods is commenced, cancellation by the Buyer can not be accepted in any circumstances.
- c. Where tools or dies shall be made specially to produce goods to Buyer's pattern, such tools or dies shall not become the property of the Buyer unless otherwise expressly agreed in writing.
- d. The Seller reserves the right to modify the characteristics of products as well as to modify or suppress models. The illustrations in our catalogues and brochures have only the aim to show and represent the individual items and do not constitute an obligation of a faithful execution. Details, sizes and weights indicated are to be considered as approximate. Therefore, the Seller will not accept liability in relation to the above and as a consequence the Seller shall not accept any claims for damages of any kind.

17) BUYER'S MATERIALS:

If the Seller agrees to carry out work on a Buyer's own material or to store a Buyer's goods after an invoice has been presented for the goods, such materials or goods will be held at the Buyer's risk and the Seller will not be responsible for damage by accident, fire, flood, deterioration or any other cause.

18) NOTICES:

Any notice given under these conditions must be in writing and sent by post to the last know residence or place of business of the person to whom it is addressed and shall be deemed to have been received in due course of post.

19) WARNING:

When cleaning the Seller's Taps and Fittings, no detergent, abrasive or soap are to be used. As this can damage their surface. Therefore it is suggested that the Taps and Fittings are to be cleaned with water and then dried with a soft cloth.

20) LEGAL CONSTRUCTION:

- a. These Conditions and the contract shall be subject to and construed in accordance with German Law.
- b. Any legal proceedings against the Seller or Buyer arising out of or in connection of these Conditions and the contract must be brought in the Courts of Hamburg in Germany.
- c. The heading of the clauses of these Conditions shall not affect the construction of these Conditions.