











almanit sanitary fittings

almanit sanitary gmbh

Wartenau7 22089 Hamburg

Germany

Tel:0049 40 2513347

Fax:0049 40 2513681

Email:info@almanit.de

Internet:www.almanit.com



almanit sanitary fittings

NEW-COLLECTION



Our company...

Is one of the leading and most successful German suppliers for Sanifary fiftings and other related products. Since 1980, we have been supplying our markets with a wide range of faucets, fittings and valves for bathroom, kitchen and other sanitary installations. Our products are partly supplied under our "ALMANIT" and "GERMANIT ARMATUREN" brand names.

Our programme...

Includes a broad range of models covering most market segments from basic to luxury, and from classical to modern design. Private, commercial, or institutional customers will find the products they need in our programme. The most popular product groups in our extensive range cover:

- +Faucets and Fittings: we supply a wide range of water mixers for bathroom and kitchen in different finishes and designs, with compression or ceramic valving (example: one hole lavatory and bidet mixers, one lever misers, concealed 3-hole mixers, ...etc.). We have different mixer models for both wall and concealed installations, Most of our faucets/mixers can be supplied with different models of handes which are fitted according to customers demands. Also to secure our customers an extended product range from a single source, we supply Shower Fittings including hand shower sets, adjustable shower heads, shower arms, etc.
- +Water Taps and Valves: we supply a variety of bib cocks in different finishes and designs (example: taps with and without hose-union, taps with T-handle, taps with upper part for key, ...etc.). We supply

also a wide range of Stopcocks, Ball valves, Gate valves, and Angle valves in different models and designs.

+Hoses and pipes: we supply a wide range of flexible hoses and tubes with different ends to adapt to any type of standard valves and fittings (example: brass strips hoses, PVC hoses, copper tubes, s. Steel-wire screened hoses, a.uminium wire screened hoses, ...etc,).

+Other Product Lines: Sanitary fittings are the core of our business. We supply more than 5.000 products in numerous models and options. Products shown in our catalogue represents only our fast moving items. For additional information about other products, please send us your detailed inquiry so that we can offer accordingly.

Our Markets...

We can supply our products world wide. Our main markets are in

parts of Europe, in the Far-and Middle East area and in some parts of Africa.

Our Service...

sanitary fittings

More than 30 years of experience provided our management with thorough knowledge of products and markets at manufacturers as well as end-users side, enabling us to satisfy our customers requirements with ultimate precision and assisting the manufacturers to do the same. Also as a family run company, we attach great importance to personal relationships to our customers. This helps us to meet individual customer wishes quickly and unbureaucratically.



One Lever Mixers





ART.680001 SOLID

chrome plated brass one lever washbasin mixer with 35mm@ceramic cartridge, designer model, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







ART.680002 SOLID

chrome plated brass one lever washbasin mixer with 35mmøceramic cartridge, designer long model, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



almanit sanitary fittings

Hamburg-Germany

ART.680041 SOLID

chrome plated brass one lever bidet mixer with 35mm øceramic cartridge, designer model, with cast spout fitted with a ball-joint chrome plated brass aerator,with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2"

ART.680021 SOLID

chrome plated brass one lever bath mixer with 35mm øceramic cartridge, designer model, with cast spout with built-in shower diverter,with chrome plated brass aerator,with metal lever handle, with wall S-connections and wall rosette.



almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2





Art.680012.SOLID

chrome plated brass one lever shower mixer with 35mm Ø ceramic cartridge, designer model, with shower hose connection, with metal lever handle, with wall Sconnections and wall rosette







Art.680025.SOLID

chrome plated brass one lever concealed bath mixer with 35mmg ceramic cartridge, designer model, with 4-way-diverter, with shower arm and square type shower head, with cast spout



SOLID SERIES



Art.680033.SOLID

chrome plated brass one lever kitchen mixer with 35mm gceramic cartridge,designer model, with movable cast spout with extractable flush shower, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).





Art.680034.SOLID

chrome plated brass one lever kitchen mixer with 35mm \varnothing ceramic cartridge,designer model, with movable high cast spout with extractable flush shower,with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680024.SOLID

chrome plated brass one lever concealed shower mixer with 35mmø ceramic cartridge, designer model, with 3-way-diverter, with shower arm and square type shower head.

Art.680032.SOLID

chrome plated brass one lever sink mixer with 35mm øceramic cartridge, designer model, with movable high cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).


Art.680035.SOLID

chrome plated brass one lever kitchen mixer with 35mm Øceramic cartridge, designer model, with st. steel spring spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



One Lever Mixers





Art.680001.MINIMA

chrome plated brass one lever washbasin mixer with 40mmg ceramic cartridge, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 172" nut).







almanit sanitary fittings

Hamburg-Germany

Art.680002.MINIMA

chrome plated brass one lever washbasin mixer with 40mmø ceramic cartridge, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680005.MINIMA

chrome plated brass one lever washbasin mixer with 40mmø ceramic cartridge, with cast spout fitted with a chrome plated brass aerator,with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

olmanit

almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2



MINIM

Art.680007.MINIMA

chrome plated brass one lever washbasin mixer with 40nmg ceramic cartridge, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" mut).



3





Art.680011.MINIMA

chrome plated brass one lever shower mixer with 40mm Øceramic cartridge, with shower hose connection, with metal lever handle, with wall S-connections and wall rosette







Art.680041.MINIMA

chrome plated brass one lever bidet mixer with 40mm ø ceramic cartridge, with cast spout fitted with a ball-joint chrome plated brass aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680021.MINIMA

chrome plated brass one lever bath mixer with 40mm øceramic cartridge, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.

Art.680012.MINIMA

chrome plated brass one lever shower mixer with 40mm Øceramic cartridge,with shower hose connection,with metal lever handle, with wall S-connections and wall rosette

Art.680031.MINIMA

chrome plated brass one lever sink mixer with 40mm øceramic cartridge,with movable cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2





chrome plated brass one lever sink mixer with 40mm goeramic cartridge with movable high cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).













Art.680033.MINIMA

chrome plated brass one lever kitchen mixer with 40mm øceramic cartridge with movable cast spout with extractable flush shower with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680035.MINIMA

chrome plated brass one lever kitchen mixer with 40mm øceramic cartridge, with movable high cast spout with extractable flush shower, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680036.MINIMA

chrome plated brass one lever kitchen mixer with 40mm Øceramic cartridge,with st. steel spring spout,with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680037.MINIMA

chrome plated brass one lever kitchen mixer with 40mm øceramic cartridge,designer model, with st. steel spring spout,with extractable flush shower, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







One Lever Mixers



Art.Art.680001.KARIZMA

chrome plated brass one lever washbasin mixer with 35mm øceramic cartridge, designer model, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







almanit sanitary fittings

Hamburg-Germany

Art.Art.680002.KARIZMA

chrome plated brass one lever washbasin mixer with 35mm øceramic cartridge, designer long model, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680041.KARIZMA

chrome plated brass one lever bidet mixer with 35mm øceramic cartridge, designer model, with cast spout fitted with a ball-joint chrome plated brass aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 172" nut).







almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

KARIZ



Art.680021.KARIZMA

chrome plated brass one lever bath mixer with 35mm Ø ceramic cartridge, designer model, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.







our Art.680012.KARIZMA

chrome plated brass one lever shower mixer with 35mm Øceramic cartridge, designer model, with shower hose connection, with metal lever handle, with wall S-connections and wall rosette.


Art.680031.KARIZMA

chrome plated brass one lever sink mixer with $35\text{mm} \varnothing$ ceramic cartridge, designer model, with movable cast spout, with metal lever handle, with st. steel wire flexible connection hoses ($35\text{cm} \log x \ 1/2$ " nut).

almanit sanitary fittings










One Lever Mixers



MAGNUM



Art.Art.680001.MAGNUM

chrome plated brass one lever washbasin mixer with 40mm øceramic cartridge, with cast spout fitted with a chrome plated brass ardor,with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







almanit sanitary fittings

Hamburg-Germany

Art.Art.680002.MAGNUM

chrome plated brass one lever washbasin mixer with 40mm Øceramic cartridge with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.Art.680041.MAGNUM

chrome plated brass one lever bidet mixer with 40mm Øceramic cartridge, with cast spout fitted with a chrome plated brass ball-joint aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).





olmanit

almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

MAGNUM SERIES

MAGNUM

Art.680021.MAGNUM

chrome plated brass one lever bath mixer with 40mm Øceramic cartridge, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.









Art.680012.MAGNUM

chrome plated brass one lever shower mixer with 40mm ø ceramic cartridge, with shower hose connection,with metal lever handle, with wall S-connections and wall rosette





Art.680023.MAGNUM

chrome plated brass one lever bath mixer with 40mm \varnothing ceramic cartridge, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.

Art.680011.MAGNUM

chrome plated brass one lever shower mixer with 40mm øceramic cartridge, with shower hose connection, with metal lever handle, with wall S-connections and wall rosette.

Art.680030.MAGNUM

chrome plated brass one lever sink mixer with 40mm of ceramic cartridge, with movable high cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







One Lever Mixers



Art.680001.SWING

chrome plated brass one lever washbasin mixer with 40mm Øceramic cartridge,designer model, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" mut).







Art.680021.SWING

chrome plated brass one lever bath mixer with 40mm ø ceramic cartridge, designer model, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.



almanit sanitary fittings

Hamburg-Germany

Art.680011.SWING

chrome plated brass one lever shower mixer with 40mm gceramic cartridge, designer model, with shower hose connection, with metal lever handle, with wall S-connections and wall rosette

Art.680031.SWING

chrome plated brass one lever sink mixer with 40mm Øceramic cartridge, designer model, with movable cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



One Lever Mixers





Art.680001.OPTIMA

chrome plated brass one lever washbasin mixer with 40mm g ceramic cartridge,with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







almanit sanitary fittings

Hamburg-Germany

Art.680041.OPTIN

chrome plated brass one lever bidet mixer with 40mm øceramic cartridge, with cast spout fitted with a balljoint chrome plated brass aerator, with metal lever handle, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680021.OPTIMA

chrome plated brass one lever bath mixer with 40mm Øceramic cartridge, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.





almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

Art.680012.OPTIMA

PTI

chrome plated brass one lever shower mixer with 40mm Ø ceramic cartridge, with shower hose connection, with metal lever handle, with wall Sconnections and wall rosette







Art.680031.OPTIMA

chrome plated brass one lever sink mixer with 40mm øceramic cartridge, with movable cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.680032.OPTIMA

chrome plated brass one lever sink mixer with 40mm Ø ceramic cartridge, with high movable cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).









almanit sanitary fittings



One Lever Mixers



chrome plated brass one lever washbasin mixer with 35mmø ceramic cartridge, with cast spout fitted with a chrome plated brass aerator, with metal lever handle, with pvc pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







ALMAECO

chrome plated brass one lever bidet mixer with 35mm øceramic cartridge, with cast spout fitted with a chrome plated brass ball-joint aerator, with metal lever handle, with pvc pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

chrome plated brass one lever bath mixer with 35mm øceramic cartridge, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal lever handle, with wall S-connections and wall rosette.

almanit sanitary fittings



almanit one lever mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

ALMAECO











Art.680011.ALMAECO

chrome plated brass one lever shower mixer with 35mm Ø ceramic cartridge, with shower hose connection, with metal lever handle, with wall S-connections and wall rosette.

Art.680031.ALMAECO

chrome plated brass one lever sink mixer with 35mm Øceramic cartridge, with movable cast spout, with metal lever handle, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

ALMAECO







almanit

almanit sanitary fittings



Two Handle Mixers



STREAMSERIES



Art.63012.STREAM

chrome plated brass washbasin mixer with 90'ceramic cartridges, designer model, with cast spout fitted with a chrome plated brass aerator, with metal handles, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



Art.624451.STREAM

chrome plated brass bidet mixer with 90 ceramic cartridges, designer model, with cast spout fitted with a chrome plated brass ball-joint aerator, with metal handles, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).





almanit sanitary fittings

Hamburg-Germany

Art.630170.STREAM

chrome plated brass bath mixer with 90° ceramic cartridges, designer model, with cast spout with built-in shower diverter, with chrome plated brass aerator, with metal handles, with wall S-connections and wall rosette.

Art.61033.STREAM

chrome plated brass shower mixer with 90° ceramic cartridges, designer model, with hose connection, with metal handles, with wall S-connections and wall rosette.









almanit two handle mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2



Art.63032.STREAM

chrome plated brass one hole mixer with 90 ° ceramic cartridges, designer model, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with st. steel wire flexible connection hoses (35cm long x 1/2" nut




STREAM



almanit sanitary fittings



Two Handle Mixers







Art.63012.KROSS

chrome plated brass washbasin mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).





almanit sanitary fittings

Hamburg-Germany

Art.63033.KROSS

chrome plated brass washbasin mixer with 180° ceramic cartridges, luxury model, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with brass click-clack pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.63006.KROSS

chrome plated brass concealed 3-hole washbasin mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with brass click-clack pop-up waste.

n50 olmonit

almanit two handle mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2








Art.63032.KROSS

chrome plated brass one hole sink mixer with 180° ceramic cartridges,with high cast spout fitted with a chrome plated brass aerator,with metal handles,with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



U





chrome plated brass bath mixer with 180°ceramic cartridges, with cast spout, with shower diverter, with hose connection, with metal handles, with wall Sconnections and wall rosette



Art.61033.KROSS

chrome plated brass shower mixer with 180° ceramic cartridges, with hose connection, with metal handles, with wall S-connections and wall rosette.



Art.624451.KROSS

chrome plated brass bidet mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass ball-joint aerator, with metal handles, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.61087.KROSS

chrome plated brass bath mixer with 180° ceramic cartridges, with cast spout, with shower diverter, with hose connection, with metal handles, with wall Sconnections and wall rosette

Art.61030.KROSS

chrome plated brass wall sink mixer with 180° ceramic cartridges, with cast spout, with metal handles, with wall S-connections and wall rosette.

Art.61038.KROSS


chrome plated brass concealed wall basin mixer with 180° ceramic cartridges, with cast spout, with metalhandles, with wall S-connections and wall rosette, with brass click-clack pop-up waste.







Two Handle Mixers



Art.63032.ANTIK

chrome plated brass washbasin mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with brass click-clack popup waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).







almanit sanitary fittings

Hamburg-Germany

Art.624451.ANTIK

chrome plated brass bidet mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass ball-joint aerator, with metal handles, with brass pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).

Art.63004.ANTIK

chrome plated brass concealed 3-hole washbasin mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with brass click-clack pop-up waste







almanit two handle mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

ANTIK



Art.63024.ANTIK

chrome plated brass concealed 3-hole bidet mixer with 180° ceramic cartridges, with high cast spout fitted with a chrome plated brass aerator, with metal handles, with brass pop-up waste







Art.61085B.ANTIK

chrome plated brass bath mixer with 180° ceramic cartridges, with cast spout, with shower diverter, with high hand shower fork rest, with metal handles, with wall S-connections and wall rosette

Art.61033.ANTIK

chrome plated brass shower mixer with 180°ceramic cartridges, with hose connection, with metal handles, with wall Sconnections and wall rosette










almanit sanitary fittings



Thermostatic Mixer



THERMOSTATIC



Art.670018.THERMOSTATIC

chrome plated brass bath mixer with thermostatic cartridge, with cast spout with built-in shower diverter, with hose connection, with wall S-connections and wall rosette.





almanit sanitary fittings

Hamburg-Germany

Art.670019.THERMOSTATIC

chrome plated brass shower mixer with thermostatic cartridge,with hose connection,with wall S-connections and wall rosette.

Art.670020.THERMOSTATIC

chrome plated brass shower mixer with thermostatic cartridge,with hose connection, with wall S-connections and wall rosette.





almanit thermostatic mixers

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2

THERMOSTATIC



Art.670040.THERMOSTATIC

chrome plated brass washbasin mixer with thermostatic cartridge, with cast spout fitted with a chrome plated brass aerator, available with or without pop-up waste, with st. steel wire flexible connection hoses (35cm long x 1/2" nut).



almanit







almanit sanitary fittings



Temporized taps

TEMPORIZED III VIOLETTICAL TOTAL TOTAL

TEMPORIZED SERIES



Art 50011

chrome plated brass temporized pillar tap, heavy model, fitted with brass aerator, 1/2" connection, w/out water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.



Art.50012

chrome plated brass temporized pillar tap, heavy model, fitted with brass aerator, 1/2" connection, w/out water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.





almanit sanitary fittings

Hamburg-Germany

Art.50017

chrome plated brass temporized pillar tap, designer model, fitted with brass aerator, 1/2" connection, w/out water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.

A-4 F004

chrome plated brass temporized basin mixer, designer model, fitted with brass aerator, with built-in hot/cold mixing valve, with connection hoses, w/ou water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0.5 / 6 Bar.







almanit temporized taps

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2



Art.50032

chrome plated brass temporized wall mounted tap, heavy model, fitted with brass aerator, 1/2" connection, w/out water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.



Art.50034

chrome plated brass temporized wall mounted tap, heavy model, fitted with S-Spout, 1/2" connection, w/out water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.







Art.50051


chrome plated brass temporized built-in shower tap, 1/2" x 1/2" connection, w/out water hammer, Timing: 6-8 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.

Art.5006

chrome plated brass temporized built-in WC-Flush valve, w/out water hammer, available sizes: 3/4" and 1", Timing: 4-6 seconds, outlet adjustable: min. 94 l/min. to max. 99 l/min., employ pressure: 2 / 6 Bar.

Art.50042

chrome plated brass Temporized urinal valve, heavy model, without water hammer, outlet adjustable, with chrome plated copper pipe (straight or bended) of 14mm dim., with rosette, size: 1/2"x1/2", Timing: 10-12 seconds, outlet adjustable: min. 4 l/min. to max. 13 l/min., employ pressure: 0,5 / 6 Bar.



almanit sanitary fittings



Electronic taps



ELECTRONIC



Art.5031 ELECTRONIC

chrome plated brass washbasin sensor mixer, complete with photocell and logic components, with built-in hot/cold mixing valve, with long spout fitted with brass aerator, battery operated, with st. steel wire connection hoses.



Art.5025 ELECTRONIC

chrome plated brass washbasin sensor mixer, complete with photocell and logic components, with built-in hot/cold mixing valve, with spout fitted with brass aerator, battery operated, with st. steel wire connection hoses.







almanit sanitary fittings

Hamburg-Germany

Art.502502 ELECTRONIC

chrome plated brass washbasin sensor mixer, complete with photocell and logic components, with built-in hot/cold mixing valve, with spout fitted with brass aerator, battery operated, with st. steel wire connection hoses.

Art.5027 ELECTRONIC

chrome plated brass washbasin sensor mixer, complete with photocell and logic components, with external hot/cold mixing valve (built under the basin), with spout fitted with brass aerator, battery operated, with st. steel wire connection hoses.

Art.502701 ELECTRONIC

chrome plated brass washbasin sensor mixer,heavy model, complete with photocell and logic components,with external hot/cold mixing valve (built under the basin), with spout fitted with brass aerator, battery operated, with st. steel wire connection hoses.







almanit electronic taps

Manufactured under strict germen standards of quality control according to DIN 52218 and EN ISO 3822-2





Art.502403 ELECTRONIC

chrome plated brass wall mounted sensor tap, complete with photocell and logic components, with long movable spout fitted with brass aerator, battery operated, with wall rosette.



Art.5037 ELECTRONIC

sensor concealed urinal flush valve, with photocell and logic components, with solenoid valve, battery operated.




Art.503702 ELECTRONIC

sensor concealed WC flush valve, with photocell and logic components, with solenoid valve, battery operated.

Art.502904 ELECTRONIC

sensor wall mounted urinal flush valve, with photocell and logic components, with chrome plated brass flush pipe, battery operated.



almanit sanitary fittings